

# **Index to the British Simuliid Group Bulletins**

**Nos. 1 to 20 (1992-2003)**

**Compiled by M.E. and R.W.Croskey**

[The Index may be separated from the Bulletin by loosening  
the staples between pages *vii* and *viii* ]

---

---

## Index to the British Simuliid Group Bulletins Nos. 1 to 20 (1992-2003)

The information contained in the first 20 issues of the B.S.G. Bulletin, published between May 1992 and June 2003, is presented in this index in four sub-set indexes, according to the topic (subject matter), the scientific names of Simuliidae, the scientific names of other organisms, and the names of contributing authors. For each entry the issue numbers are given first, followed by the relevant page(s) in parentheses; where the same indexed item occurs in separate articles within an issue the page references are separated by a slash (/). References to 'onchocerciasis' *per se* pertain to the disease in humans. The titles/authors of talks and posters given at B.S.G. and other meetings but never supplied as full text for publication have been disregarded, left unindexed because of lack of content. In the contributor index each author's name is accompanied by full initials even if not all initials are provided in the article heading; when known the author's usual or preferred full forename is given in parentheses.

### Contents

Topics.....*i*      Scientific Names.....*vi*      Other Organism Names... *ix*      Contributors.....*x*

### Topic Index

- Abate [commercial name]: see Temephos
- Abnormality, morphological  
  male genitalia, 15 (18-19)  
  spermathecae, 14 (7-9)
- Afghanistan, Hindu Kush (in Travellers' Tales), 7 (9)
- Age-grading  
  ovarian, 4 (9-12)  
  pteridine concentration in, 2 (3)
- Aggregations, larval, 3 (28)
- Amazonia, blackfly biting (in Travellers' Tales), 20(6-7)
- Amazonia, onchocerciasis in, 10 (10-12), 12 (9-10/14-15), 15 (8-10/11-14), 18 (13-15/19-21)
- Amber, blackflies in, 6 (5-8)
- Anaphylactic shock, from blackfly bites, 18 (4-6)
- Andes, blackflies in southern, 8 (9/11)
- Andorra, autumnal blackflies, 12 (7)
- Annual Transmission Potential (ATP), 4 (7/14), 15 (6/11-13)
- Anthropophily  
  in Fiji  
  in Marquesas Islands, 13 (9-13)  
  in Vanuatu,  
    Simulium damnosum, South Africa, 13 (16)
- Arabia, onchocerciasis in, 3 (5-6)
- Argentina, blackfly records, 8 (11-13)
- Autogeny, in Simulium damnosum, 13 (16)
- BBC, "The Witness was a [black]fly" programme, 4 (18-19)
- Beaucournu-Saguez, F., obituary, 16 (8-10)
- Beer, as Blandford fly antidote, 16 (12-13, with bottle labels)
- Bell, Gavin (in Travellers' Tales), 13 (9-11)
- Belize, blackfly survey, 19(3-4)
- BHC insecticide, use in Brazil, 9 (10)
- Bioacoustic behaviour, 12 (13)
- Bioengineering, demonstrated by blackfly larvae, 8 (5-7)
- Bioko (= Fernando Po)  
  onchocerciasis in, 3 (13)  
  Simulium damnosum eradication, 3 (13)
- Birchflies, in Scotland, 1 (2), 5 (5-6)
- Blandford fly (Simulium posticatum), 1 (5), 2 (17), 3 (14/23-27), 8 (2/7-8), 16 (8/12), 18 (5/9)
- Bloodmeal identification, 3 (14/23-27)
- Bothys, and blackflies, 5 (5)
- Botting, Douglas, 20(7)
- Brazil  
  Amazonian fauna, 12 (12-13)  
  BHC insecticide use, 9 (10)  
  blackfly control, 9 (7-14)

- "borrachudo/pium" pest, 9 (7-10), 20(6-7)  
 cytovariation in vectors, 6 (13-15)  
 DDT insecticide use, 9 (7/10)  
 Mazzotti test, use of, 10 (4)  
 new onchocerciasis focus, 10 (3-4), 12 (3)  
 onchocerciasis dispersal, 3 (10-11)  
 onchocerciasis transmission, 3 (10-11), 6 (13-15),  
 12 (3)  
 Simulium perflavum larval food, 12 (11-12)  
 vector survival, 12 (10-11)
- Britain, blackflies in  
 anaphylactic shock from bites, 18 (4-6)  
 aquatic habitats, 3 (17-22)  
 collecting, 10 (2)  
 distribution mapping, 10 (2)  
 distribution recording form, 14 (unnumbered end  
 page)  
 Dmap record plotting, 15 (5)  
 Dorset, in River Stour, 2 (17), 3 (14), 8 (7-8)  
 epithet meanings, 12 (15-19)  
 Kent, recovery after drought, 6 (16-17)  
 Oxfordshire, Blandford fly in, 3 (14/24), 8 (2)  
 species name changes, 7 (6)  
 'Stonesfield Stinger' (*Simulium posticatum*), 3 (24)  
 'Woodstock fly' (*Simulium posticatum*), 3 (24)
- Bryson, Bill (in Travellers' Tales), 11 (12-13)  
 BtH14: see Bti  
 Bti larvicide (*Bacillus thuringiensis israelensis*), 2 (17),  
 4 (21), 8 (8), 9 (7-11), 17 (17)
- Bulletins, of B.S.G., superseding Newsletters, 1 (1)  
 availability in electronic format, 19(9)
- Cameroon, 4 (14-15)  
 onchocerciasis modelling, 18 (11-13)  
 onchocerciasis transmission, 8 (8)  
 Simulium damnosum and Onchocerca immunity,  
 8 (8)
- Canary Islands  
 blackfly name correction, 6 (18)  
 Fuerteventura, first blackfly record, 8 (13)
- Cattle, *Onchocerca* parasites of, 2 (3-4/15), 4 (14), 8 (8)
- CD Rom:  
 Key to European blackflies, 19(4-6)  
 Newsletters and Bulletins on 19(10), 20(2)
- Channel Islands, additional blackfly species, 6 (19-20)
- Checklists, simuliid  
 Morocco, 17 (10-16)  
 Netherlands, 18 (7-10)  
 Portugal, 3 (13-14)  
 Mermithids described from simuliid hosts, 19(13-26)
- Cheesman, Evelyn (in Travellers' Tales), 13 (11-12)
- Chile  
 blackfly records from, 8 (11-13)  
 onchocerciasis symposium in, 6 (20)
- Chromosomes  
 of *Onchocerca* spp., 2 (4)  
 of *Simulium damnosum*, 3 (8-9)  
 of *Simulium exiguum*, 3 (2)  
 of *Simulium guianense*, 6 (13-15)
- Cibarial armature, 4 (4-6), 15 (6-8), 18 (17)  
 microfilariae, damage to, 4 (4-6), 12 (10), 15 (9)  
 modelling onchocerciasis factor, 10 (5-6), 15 (6-8)
- Cladistics, of subgenera, 12 (5)
- Computer models, see Onchocerciasis, modelling of.
- Control, of blackflies  
 aerial, 6 (10-11)  
 "borrachudo/pium" in Brazil, 9 (7-10)  
 GPS satellite navigation use, 6 (11)  
 hydrological surveillance in, 6 (11)  
 in Malawi, 4 (16-17)  
 in USA, 13 (7)  
 larval spray system, 6 (11)  
 larvicides in OCP, 6 (11)  
 onchocerciasis vectors, 6 (10-11)  
 Simulium damnosum, in Bioko, 3 (13), in OCP,  
 6 (10-11)  
 vegetation management in, 4 (16-17, Malawi),  
 9 (11, Brazil)
- Crabs, in phoretic associations, 2 (5-6), 3 (11-12), 8 (5),  
 12 (3)
- Cuticular hydrocarbons, 2 (15-16)
- Cytology: see chromosomes
- Cytotaxonomy: see chromosomes
- DDT insecticide, use in Brazil, 9 (7-10)
- Database of photographs of simuliid morphology, 19(6)
- Death notifications  
 Kershaw, W. E., 11 (19)  
 Rubtsov, I. A., 6 (19)  
 Timm, T., 11 (19)
- Deforestation, effects on *Simulium damnosum*, 4 (4),  
 12 (4), 14 (2)
- De Meillon, B., obituary, 17 (2-5)
- Denmark, blackfly genera/subgenera in, 12 (6)
- Digitized imaging, flow patterns, 13 (17)
- Discovery Channel (TV programme), 4 (22-23)
- Distribution  
 Causes of plasticity in, 14 (3-4)  
 Collecting for mapping, Britain, 10 (2)  
 Dmap plotting programme, 15 (5)  
 record form, Britain, 14 (unnumbered end page)  
 Simuliids in Britain, map, 9 (II-III insert)  
 Simulium damnosum, southern Africa, with map, 14  
 (10-13)
- Dmap, record plotting programme, 15 (5)

- DNA, PCR test for, *Onchocerca volvulus*, 11 (11-12)
- Drought, recovery after, in Kent, 6 (16-17)
- Durrell, Gerald (in Travellers' Tales), 7 (8-9)
- Earthquakes, and Golubatz fly, 14 (15-17)
- Ecuador  
     cytology, *Simulium exiguum*, 2 (11-12), 3 (2)  
     onchocerciasis in, 2 (11-12), 18 (17-19)  
     vector biting/infection rates, 18 (17-19)
- Egg-sac relics, 4 (9-12)
- Electronic News List, 4 (17-18)
- Electrophoresis, of isoenzymes, 2 (4-5)
- ELISA tests, 3 (14/23-27)
- Epithets, meanings in British blackflies, 12 (15-19)
- Europe, W. & Central, digital key to larvae & pupae, 19(4-6)
- Fairhurst, C., obituary, 5 (2)
- Fecundity, blackflies infected with *Onchocerca*, 3 (3)
- Fennoscandia, blackfly genera/subgenera in, 12 (6)
- Fiji, anthropophily in, 13 (11)
- Flow patterns, around blackfly larvae, 13 (17)
- Forest habitat, *Simulium damnosum*, 2 (9), 4 (14), 12 (3-4)
- Fossil blackflies  
     amber, 6 (5-7)  
     Jurassic, 2 (8)
- Fungal infections: see Trichomycetes
- Galapagos Islands, simuliids recorded, 4 (21-22)
- Gas chromatography, 2 (15), 4 (8)
- Gene expression, in *Onchocerca* larvae, 2 (8-9)
- Gene flow, in *Simulium damnosum* s.l. 18 (15-16)
- Ghana, *Simulium damnosum* s.l. environment, 2 (9), 12 (4-5)
- Golubatz fly (*Simulium colombaschense*), 14 (15-17)
- Gonotrophic cycle, *Simulium damnosum*, 3 (8)
- GPS satellite navigation, 6 (11)
- Guatemala  
     isoenzymes, *Simulium ochraceum*, 14 (5-6)  
     ivermectin use, 10 (6/12-14), 11 (7-12)  
     onchocerciasis elimination, 6 (11-12), 11 (7-12)  
     onchocerciasis in, 10 (13/14-15), 14 (5-6)  
     onchocerciasis transmission, 10 (6), 11 (7-12)
- Guinea, *Simulium soubrense* and migration, 1 (6)
- Guyana, *Kabowra* flies in, 7 (8-9)
- Habitat preferences, larval, 3 (17-22)
- Haemocytes, cytotoxic, 16 (1-2)
- Haemolymph  
     analysis, 10 (7)  
     lectins in, 1 (6-7), 10 (7)  
     protease activity in, 3 (3)
- Helicopter, choice of for OCP, 6 (11)
- Historical items  
     blackfly description history, 15 (3-5)
- NE-118 project, 17 (16-20)
- OCP early years, 17 (4)
- Honeydew, as blackfly food, 13 (15)
- Humboldt, Alexander von, in Venezuela, 20(7-10)
- Hungary, Golubatz (= Kolumbács) fly, 14 (15-17)
- Hybridization, *Simulium damnosum* s.l., 18 (15-16)
- Hydrological surveillance, by satellite, 6 (11)
- Identification, blackfly  
     bloodmeal, 3 (23-27)  
     cytospesies in OCP, 2 (5)  
     ELISA tests, 3 (14/23-27)  
     isoenzymes, 2 (4-5), 14 (5-6)  
     morphometrics, 3 (13), 12 (7-8)  
     Netherlands fauna, 18 (7-10)
- Ilyina, Anna, obituary, 18 (22-23)
- Image analysis, use in blackfly taxonomy, 8 (10-11), 19(4-6)
- Immune system: see Immunity
- Immunity,  
     lysozyme in, 4 (13)  
     peptides and proteins in, 4 (13)  
     to *Onchocerca*, British *Simulium*, 2 (14)  
     to *Onchocerca*, *Simulium damnosum*, 2 (15), 10 (7), 14 (4-5), 16 (1-2)
- International Code of Zoological Nomenclature (new edition), 14 (14-15)
- Internet  
     B. S. G. Bulletins on, 13 (17)  
     blackflies on World Wide Web, 7 (7), 14 (17), 16 (11)
- Invasions, by *Simulium damnosum* s.l., 2 (9)
- Invitation effect, in bloodfeeding, 11 (3-4)
- Iridescent viruses, 2 (17-18), 3 (6-7)
- Isoenzymes, in blackfly identification, 2 (4-5), 14 (5-6)
- Italy, blackflies troubling humans, 13 (18-19)
- Ivermectin, duration of treatment, 19(6-8)
- Ivermectin, use  
     in Guatemala, 10 (14-15), 11 (7-12)  
     in Mexico, 10 (6/12-14)  
     in OCP operations, 6 (11)  
     in Sierra Leone, 3 (7-8)  
     in Uganda, 3 (4), 8 (3-5)  
     in Venezuela, 12 (10-11/14-15), 15 (8-10)
- Jejenes, 20(8)
- Kabowra* flies, 7 (8-9)
- Kennedy, W. R. (in Travellers' Tales), 11 (13-14)
- Kenya, *Simulium neavei* group status, 2 (5-6)
- Kershaw, W. E., obituary, 11 (1)
- Key, digital, to European blackfly larvae & pupae, 19(4-6)
- Kingsbury Water Park, simuliid biting in, 18 (4-6)
- Laird, Marshall (in Travellers' Tales), 11 (13), 12 (19-

- 22)  
 Lake outlet habitat, 3 (28)  
 Larval blackflies  
   aggregations, 3 (28)  
   filtering and food, 2 (16)  
   flow patterns around, 13 (17)  
   lake outlet habitat, 3 (28)  
   microalgae in diet, 12 (11-12)  
 Larviciding, against *Simulium damnosum* s.l., Malawi, 4 (16-17)  
 Lectins, in haemolymph, 1 (6-7), 10 (7)  
 Libraries, holding B. S. G. Bulletins, 7 (17-18)  
 Malawi  
   crab carriers of blackflies, 12 (3)  
   onchocerciasis focus, 12 (3)  
   vector control, 4 (16-17)  
 Marquesas Islands, anthropophily in 13 (9-13)  
 Mazzotti test, use in Brazil, 10 (4)  
 Mectizan [commercial name]: see ivermectin  
 Meeting Reports  
   B. S. G. (annual accounts/contributions)  
     10th (1987, River Laboratory, Dorset), 1 (1-7)  
     11th (1988, Salford University), 2 (2-6)  
     12th (1989, Liverpool School of Tropical Medicine), 2 (7-10)  
     13th (1990, Natural History Museum, London), 2 (11-13)  
     14th (1990, Portsmouth Polytechnic, now University), 2 (14-19)  
     15th (1992, Keele University), 3 (2)  
     16th (1993, Natural History Museum, London), 3 (10-28)  
     17th (1993, Liverpool School of Tropical Medicine), 4 (3-17)  
     18th (1995, Birmingham University), 6 (2-17)  
     19th (1996, Monks Wood Experimental Station), 8 (1-11)  
     20th (1997, Natural History Museum, London), 10 (1-15)  
     21st (1998, Oxford University), 12 (1-15)  
     22nd (1999, Liverpool School of Tropical Medicine), 14 (1-6)  
     23rd (2000, Salford University), 15 (1-14)  
     24th (2001, Birmingham University), 18 (2-21)  
     24th (sic.) (2001, Center for Hydrology & Ecology, Dorset), 19(6-10)  
     Summary list with venues 1979-1997, 11 (17-18)  
   International blackfly meeting, proposal, 12 (23)  
   Latin American Federation of Parasitologists  
     12th Meeting, Santiago, Chile (1995), 6 (20)  
   Northeast Regional Project NE-118 (USA)  
     NE-118 (1995, Arizona), 5 (3-5)  
     NE-118 (1996, Florida), 7 (2-4, programme only)  
     NE-118 (1998, Florida), 10 (16, announcement only)  
     NE-118, History 1978-1996 (last meeting), 17 (16-20)  
     NE-118, Locations of Meetings 1978-1996, 17 (19-20)  
   Other North American annual blackfly meetings  
     SREA-IEG (1998, Florida), 11 (15-16)  
     SERA-IEG (1999, Florida), 13 (6-9)  
     SERA-IEG (2001, Florida), 17 (5-6)  
     SERA-IEG (2002, Florida), 19 (11-12)  
   Sweden (1998, Umea University), Blackfly workshop report, 13 (4-6)  
 Membership of B. S. G.  
   addresses (at 31 May 1996), 7 (10-17)  
   address changes, 8 (17), 9 (15), 10 (20), 11 (19), 12 (23), 13 (20), 14 (18), 15 (20), 16 (16), 8 (24), 19(27), 20(10)  
   geographical distribution, 16 (16)  
   members list (at 31 May 1996), 7 (10-17)  
   new members, 8 (18), 9 (15), 10 (20), 11 (19), 12 (24), 13 (20), 14 (18), 15 (20), 16 (16), 18 (23-24)  
   19(27), 20(10)  
 Mermithidae: list of species described from blackflies, 19(13-26)  
 Microfilariae, *Onchocerca* spp.  
   damage by cibarial armature, 4 (4-6/6-7)  
   density, 4 (6)  
   development, 1 (6), 2 (3)  
   injection into simuliids, 2 (3), 3 (3), 8 (8)  
   nuclei when intra-uterine, 2 (4)  
   onchocerciasis modelling role, 10 (5)  
   survival, 2 (3), 14 (4-5)  
   uptake by vector, 4 (6), 11 (7-12)m 12 (10-11)  
 Migration  
   *Simulium damnosum* a.l., 1 (6), 2 (9)  
   *Simulium soubrense*, 1 (6)  
 Mites: see watermites  
 Mexico  
   ivermectin use, 10 (12-14)  
   onchocerciasis transmission, 10 (12-14)  
 Molecular systematics, *Simulium damnosum*, 18 (16-17)  
 Morocco, blackflies in  
   checklist, 17 (10-16)  
   new Rif distribution records, 17 (10-16)  
   new species records, 15 (15-18), 17 (7-10)  
 Morphometrics, in *Simulium damnosum* taxonomy, 3 (13)  
 Moss, S.T., obituary, 19(1-2)

- Muirhead-Thomson, obituary 18 (21-22)  
 NE118 project: see Meetings  
 Newby, Eric (in Travellers' Tales), 7 (9)  
 Netherlands, blackfly checklist, 18 (7-10)  
 Newfoundland, anthropophily, 11 (13-14)  
 Newsletters of BSG (1979-1987),  
     indexes to, 9 (16-20)  
     recorded in Zoological Record, 1 (7-10)  
     superseded by Bulletin, 1 (1)  
 Newman, Edward, Simulium quotation from, 16 (2-7)  
 New Zealand, 'Namu' pest (Austrosimulium), 12 (19-22)  
 Nigeria, vector cytospecies identifications, 3 (8-9)  
 No-no (nau-nau) Simulium buissoni, 13 (9-13)  
 North Africa, simuliids new for, 15 (15-18)  
 North America (in Travellers' Tales), 11 (12-14)  
 Nuclei number, in microfilaria/L3 of Onchocerca  
     volvulus  
 Obituaries  
     Beaucourmu-Saguez, F., 16 (8-10)  
     Clergue-Gazeau, M., memorial note, 20 (3)  
     De Meillon, B., 17 (2-5)  
     Fairhurst, C., 5 (2)  
     Kershaw, W. E. 11 (1)  
     Ilyina, A., 18 (22-23)  
     Moss, S.T., 19(1-2)  
     Muirhead-Thomson, R. C., 18 (21-22)  
     Rubtsov, I. A., 9 (2-6)  
 OCP (Onchocerciasis Control Programme, West Africa)  
     cytospecies identification, 2 (5)  
     early history, 17 (4)  
     environmental monitoring, 2 (2)  
     helicopter choice, 6 (11)  
     larviciding, harmless to fish, 2 (2)  
     vector control, advances in, 6 (10-11)  
 Onchocerciasis  
     entries pertaining to:  
         Amazonia, 10 (10-12), 12 (9-10/14-15),  
             15 (8-10/11-14), 18 (19-21), 19(6-8)  
         Arabian peninsula, 3 (5-6)  
         Bioko (Fernando Po), 3 (13)  
         Brazil, 3 (10-11), 6 (10/13-15), 9 (7-10), 10 (3-4), 12  
             (3) (see also Amazonia)  
         Cameroon, 18 (11-13)  
         Guatemala, 6 (11-12), 10 (14-15)  
         Mexico, 10 (13)  
         OCP area, 6 (10-11)  
         Sierra Leone, 3 (7-8)  
         Uganda, 3 (4/11-12), 10 (7-10)  
         Venezuela, 10 (10-12), 12 (9-10/14-15),  
             15 (8-10/11-14), 18 (19-21)  
         West Africa, 19(6-8)  
         Yemen, 3 (5-6)  
         Zambia, 10 (18-19)  
         epidemiology, various countries, 12 (2-5)  
         Mazzotti test use, 10 (4)  
         Mectizan control: see Ivermectin  
         modelling of, 10 (5-6), 15 (6-8), 18 (11-13), 19(6-8)  
         serodiagnostic test use, 10 (4)  
         transmission, 4 (6-7/14-15), 8 (8), 10 (5), 12 (9-10),  
             15 (9)  
         vector control OCP, 6 (11)  
         vectorial competence, Amazonia, 15 (8-10)  
         Ovarian protein, 3 (3)  
 Oviposition  
     pheromone effects, 4 (8), 6 (7-9)  
     Simulium damnosum s.l., 6 (7-9)  
     Simulium erythrocephalum, 6 (8)  
     Simulium posticatum, 1 (5)  
 Pallas, Peter S. (in Travellers' Tales), 8 (14-17)  
 Parasite  
     surveys, sample size, 2 (19)  
     mermithids, list of blackfly hosts of 19(23-25)  
 Parity rates, Amazonian vectors, 18 (19-21)  
 Patagonia, blackfly overview and records, 8 (9-10/11-  
     13)  
 PCR assay, in O. volvulus detection, 18 (13-15)  
 Penguin, Leucocytozoon host, 12 (20)  
 Peptides, in blackfly immunity, 4 (13)  
 Peritrophic membrane, and Trichomyces, 1 (4)  
 Peterson, Bobbie V. (in Travellers' Tales), 16 (13-15)  
 Pheromones, in oviposition, 4 (8), 6 (7-9)  
 Phoresis, with crabs, 3 (11-12), 8 (5), 12 (3)  
 Phosphoglucosyltransferase (PGM) isoenzyme, 2 (4-5),  
     14 (5-6)  
 Photographs of larvae & pupae of European species,  
     19 (6)  
 Pium, 20(6)  
 Plastron, simuliid pupal gill, 2 (12-13)  
 Poem, on the blackfly, 4 (19-20)  
 Population management: see Control  
 Portugal, blackfly species list, 3 (13-14)  
 Protease activity, watermite-induced, 3 (3-4)  
 Proteins, in blackfly immunity, 4 (13)  
 Predation, on blackfly larvae,  
     by blackbird, 1 (7-8)  
     by Muscidae, 1 (5)  
     by sundew plants, 4 (22-23)  
     by watermites, 3 (15-16)  
 Prediction of outcome of control programmes, 19(6-9)  
 Pteridine, in blackfly aging, 2 (3)  
 Pupal gills  
     as plastron, 2 (12-13)  
     variability, 12 (7-8)  
 Repellent, 'Ngaio' tree oil, 12 (21)

- River regulation, and *S. chutteri*, 1 (10-11)
- Rubtsov, I. A.  
 and A. Ilyina, 18 (22-23)  
 death notice, 6 (19)  
 mermithid species in blackflies, 19(13-26)  
 obituary, 9 (2-6)
- Russia, blackfly collection at St Petersburg, 11 (4-7), 18 (22-23)
- Sample size  
 in parasite surveys, 2 (19)  
 in vector surveys, 2 (19)
- Savanna habitat, *Simulium damnosum* s.l., 2 (9), 4 (14)
- Scotland  
 birchflies, simuliid pests, 1 (2), 5 (5-6)  
 blackflies in Speyside, 1 (2-3)
- Serine proteases, 16 (1-2)
- Serodiagnostic test, use in Brazil, 10 (4)
- Sierra Leone  
 ivermectin use, 3 (7-8)  
 onchocerciasis transmission, 3 (7-8)  
 vector environment, 12 (3-4)
- Simpson, John, 20(6)
- South Africa  
 river regulation and *Simulium chutteri*, 1 (10-11)  
*Simulium damnosum* s.l. anthropophily, 13 (16)  
*Simulium damnosum* s.l. distribution, 14 (10-14)
- Spain, autumnal blackflies in Pyrenees, 12 (7)
- Species, of blackflies  
 historical description rate, 15 (3-5)  
 number of, 15 (3-5)
- Spectrometry, for pteridine concentration, 2 (3)
- Spermathecae, multiple, 14 (7-9)
- 'Stonesfield Stinger' (*Simulium posticatum*), 3 (24)
- Sugar-feeding, 13 (15)
- Sundews, as blackfly predator, 4 (22-23)
- Synoptics [commercial name], image analysis system, 8 (10-11)
- Taxonomy, of blackflies  
 cytological: see chromosomes  
 image analysis in, 8 (10-11)
- Temephos, larvicide, 4 (17), 8 (5), 9 (8-10), 13 (12)
- Tepuis, Amazonian plateaux feature, 4 (22-23)
- Thailand, morphologically aberrant species, 14 (7-9)
- Tierra del Fuego, blackflies in  
 new records, 8 (12)  
 overview, 8 (9)
- Togo, *Simulium damnosum* s.l. environment, 2 (9)
- Travellers' Tales  
 Appalachians (USA), 11 (12-13)  
 Great balls of blackflies (Iceland), 16 (13-15)  
 Horrors of Hatheu (Marquesas), 13 (9-13)
- Iceland (*Simulium vittatum*), 16 (13-15)
- Kabowra flies (Guyana), 7 (8-9)
- Namu (New Zealand), 12 (19-22)
- Newfoundland (Canada), 11 (13-14)
- Pallas and the Moshki (Russia), 8 (14-17)
- Pests of the Pushal (Afghanistan), 7 (9)
- Trehalase, isoenzyme, 2 (4-5), 14 (5-6)
- Trichomycete infections, 2 (16)
- Trichospores, of Harpellales, 1 (4)
- TUNEL, cell death detection system, 16 (1-2)
- Uganda  
 crab carriers of blackflies, 3 (11-12), 8 (5)  
 ivermectin use, 3 (4), 8 (3-5)  
 onchocerciasis in, 3 (4/11-12), 8 (3-5)  
 onchocerciasis transmission, 3 (4), 8 (3-5)  
*Simulium naevei* in, 3 (4), 8 (3-5)  
*Simulium damnosum* s.l. in, 3 (4/11-12), 10 (7-10)  
 vector control, 8 (3-5)
- U.S.A.  
 blackfly control, 13 (7)  
 blackfly in court case, 4 (18-19)  
 NE118 annual reports: see Meeting Reports  
 SERA-IEG annual reports: see Meeting Reports
- Vanuatu, blackfly anthropophily in, 13 (11)
- Venezuela  
 ivermectin use, 12 (10-11/14-15), 15 (8-10)  
 onchocerciasis in, 10 (10-12), 12 (9-10/14-15),  
 15 (8-10/11-14), 18 (13-15/19-21)  
 onchocerciasis endemicity, 10 (10-12)  
 vector biting activity, 12 (9-10), (in Travellers'  
 Tales), 20 (7-10)  
 vectorial competence, 15 (8-10)  
 vector infection rates, pre-ivermectin use, 15 (11-  
 14)
- Vernacular names, simuliids, 16 (10-11)
- Warthogs, *Onchocerca* in, 4 (14)
- Watermites  
 adult infestation, 3 (3-4)  
 inducing protease activity, 3 (3-4)  
 predating on larvae, 3 (15-16)
- West Africa, reinvasions within, by *Simulium damnosum* s.l., 2 (9)
- 'Woodstock fly' (*Simulium posticatum*), 3 (24)
- World Wide Web, blackfly sites, 7 (7), 14 (17), 16 (11)
- Yanomami Amerindians, onchocerciasis in, 3 (10),  
 6 (10), 10 (11), 12 (9/14), 18 (14)
- Yemen, onchocerciasis in, 3 (5)
- Zambia, *Simulium damnosum* s.l. in, 10 (17-19)
- Zimbabwe, *Simulium damnosum* s.l. in, 10 (18)
- Zoological Record, Newsletters recorded, 1 (7-10)

## Blackfly Scientific Names Index

- Anasolen, *Simulium* subgenus, 12 (5)  
 Astoneomyia, *Parasimulium* subgenus, 13 (8)  
 Austrosimulium, 6 (6), 12 (20)  
   *A. ungulatum*, 12 (20)  
 Boophthora, *Simulium* subgenus, 3 (14), 12 (6)  
 Cerqueirellum, *Simulium* subgenus, 9 (11)  
 Chirostilbia, *Simulium* subgenus, 9 (7)  
 Cnephia, 12 (6)  
   *C. tredecimata* (now *Metacnephia*), 7 (6)  
 Cnesia, 8 (9)  
   *C. dissimilis*, 8 (11)  
 Crosskeyellum, *Simulium* subgenus, 17 (11)  
 Crozetia, 16 (8)  
   *C. crozetensis*, 16 (8)  
   *C. seguyi*, 16 (8)  
 Ectemnia, 4 (20), 13 (8)  
   *E. cerberus*, 6 (6-7)  
 Eusimulium, *Simulium* subgenus, 3 (14), 6 (18), 12 (6),  
   13 (8), 16 (8), 17 (11)  
 Freemannellum, *Simulium* subgenus, 12 (5)  
 Gigantodax, 8 (9)  
   *G. antarcticus*, 8 (11)  
   *G. brophyi*, 8 (11)  
   *G. chilensis*, 8 (11)  
   *G. fulvescens*, 8 (11)  
   *G. igniculus*, 8 (11)  
   *G. marginalis*, 8 (11)  
   *G. rufescens*, 8 (12)  
 Greniera, 6 (6), 17 (10)  
   *G. fabri*, 17 (10)  
 Gnus, [former] *Simulium* subgenus, 12 (6)  
 Hellichella, *Simulium* subgenus, 12 (6)  
 Helodon, *Prosimulium* subgenus, 12 (6)  
 Hemineccha, *Simulium* subgenus 19(4)  
 Levitina freidbergi, 16 (8-10)  
 Metacnephia, 3 (14), 12 (16), 17 (10)  
   *M. amphora*, 7 (6), 12 (16)  
   *M. blanci*, 3 (14), 17 (10)  
   *M. nuragica*, 3 (14), 17 (11)  
 Nevermannia, *Simulium* subgenus, 3 (14), 12 (6)  
 Notolepria, *Simulium* subgenus, 6 (20), 9 (11)  
 Obuchovia, *Simulium* subgenus, 3 (14), 15 (15-18), 17  
   (11)  
 Odagmia, [former] *Simulium* subgenus, 12 (6)  
 Parabyssodon, [former] *Simulium* subgenus, 12 (6)  
 Parasimulium, 13 (8)  
   *P. melanderi*, 13 (8)  
 Paraustrosimulium, 8 (9)  
   *P. anthracinum*, 8 (12)  
 Prosimulium, 2 (8), 3 (14), 15 (2), 12 (6/15-16)  
   *P. arvense* (= *tomosvaryi*), 7 (6), 12 (16)  
   *P. faurei*, 17 (11)  
   *P. hirtipes*, 1 (2), 12 (16), 18 (8-9)  
   *P. inflatum* (= *latimucro*), 7 (6), 12 (16)  
   *P. laamii*, 17 (11)  
   *P. latimucro*, 3 (14), 7 (6), 12 (16), 17 (11)  
   *P. rufipes*, 17 (11)  
   *P. saltus*, 13 (8)  
   *P. tomosvaryi*, 3 (14), 7 (6), 12 (16), 17 (11)  
   *P. woodorum*, 12 (15)  
 Psaroniocompsa, *Simulium* subgenus, 9 (11), 10 (4)  
 Psilopelmia, *Simulium* subgenus, 4 (20)  
 Ptermaspatha, *Simulium* subgenus, 8 (9)  
 Rubzovia, *Simulium* subgenus, 17 (11)  
 Schoenbaueria, *Simulium* subgenus, 12 (6)  
 Simulimima, 2 (8)  
   *S. grandis*, 2 (8)  
 Simulium (s.l.), 2 (4/14), 3 (3-4/5/6-7/15-16), 4 (4/6-  
   7/14), 6 (5/10-11), 9 (7), 10 (5-6), 12 (3/5/9-  
   10/14/15-16), 13 (8), 14 (4-5/15-17), 15 (5/18-  
   19), 16 (1-2/3-7), 17 (3/10-12),  
   18 (4-6)  
   (s. str.), 6 (6), 12 (6), 14 (7)  
   *S. adersi*, 1 (10), 10 (18)  
   *S. affine* (now in *Greniera*), 6 (6)  
   *S. alcocki* group, 10 (18)  
   *S. amazonicum* group, 7 (9)  
   *S. angustipes*, 3 (14), 5 (16), 6 (19), 12 (16), 17  
   (11), 18 (9)  
   *S. angustitarse*, 5 (7-17), 7 (6), 12 (16), 13 (18),  
   17 (7-8/11), 18 (8/10)  
   *S. apenninicum*, 12 (8)  
   *S. argyreatum*, 3 (14), 7 (6), 12 (16)  
   *S. argyreatum* (auct. = *noelleri*), 7 (6)  
   *S. armoricanum*, 3 (14), 12 (16),  
   *S. atlasicum*, 17 (12)  
   *S. aureum*, 2 (3), 3 (14/21 [misidentified]), 12 (16),  
   18 (9)  
   *S. aureum* group, 5 (16), 6 (18), 7 (6), 16 (8)  
   *S. auricoma*, 3 (14), 15 (15-18), 17 (11)  
   *S. austeni* (= *posticatum*), 2 (17), 7 (6), 12 (17)  
   *S. baracome*, 12 (8)  
   *S. bequaerti*, 10 (18)  
   *S. berberum*, 17 (12)  
   *S. bezzii*, 12 (7), 17 (11)  
   *S. bipunctatum*, 4 (22), 10 (11), 12 (9), 18 (17-19)  
   *S. blancasi* group, 12 (5)  
   *S. bovis*, 4 (14)  
   *S. brevicale* (-is) (= *cryophilum*), 7 (6), 12 (16)  
   *S. brevidens*, 17 (11)



- S. britannicum* (= *dentulosum*), 7 (6)  
*S. brunettii* (= *equinum*), 12 (17)  
*S. buissoni*, 13 (10-12)  
*S. cambriense* (= *angustitarse*), 5 (17), 7 (6)  
*S. carthusiense*, 12 (7), 17 (11)  
*S. caucasicum*, 12 (8)  
*S. celticum* (= *angustitarse*), 7 (6)  
*S. chutteri*, 1 (10-11)  
*S. colombaschense* ('Golubtaz fly'), 14 (15-17)  
*S. costatum*, 12 (16), 17 (11), 18 (9/10)  
*S. cryophilum*, 3 (14), 7 (6), 12 (16), 17 (11), 18 (9/10)  
*S. damnosum* s.l., 1 (3/6/7), 2 (2/3/9/15-16/19), 3 (3/4/5/8/12/13/21), 4 (6/8/14/16/22), 6 (7-9), 8 (8), 10 (7/7-10/12/17-19), 11 (3-4), 12 (3/4), 13 (9/16), 14 (2/4-5/10-14), 15 (6-8/13), 16 (1-2), 17 (4), 18 (11-13/13/15-16/16-17), 19(6-8)  
*S. damnosum* s.str. 2 (3/9,15), 3 (8-9/13), 4 (14), 10 (5), 19(6-8)  
*S. damnosum* 'Nkusi' form, 10 (8-9)  
*S. damnosum* 'Nyamagasani' form, 10 (8-10)  
*S. damnosum* 'Sanje group', 10 (9)  
*S. damnosum* 'Sebwe' form, 10 (8-9)  
*S. damnosum* 'Sogohi' form, 10 (8-9)  
*S. decorum*, 8 (6)  
*S. dunfellense* (as *dunfalense*, error), 12 (16), 18 (9)  
*S. egregium*, 17 (11)  
*S. equinum*, 1 (3), 2 (3/18), 3 (3/14/15), 4 (9/13), 5 (8), 12 (17), 17 (12), 18 (9), 19(3)  
*S. erythrocephalum*, 1 (3), 2 (3/18), 3 (14), 4 (10), 5 (8/16), 6 (8), 12 (17), 13 (18), 14 (8)  
*S. escomeli*, 6 (20), 18 (17)  
*S. exiguum*, 2 (11), 3 (2/11), 6 (20), 9 (11), 10 (11), 12 (9), 18 (17-19), 15 (13)  
*S. flaveolum*, 12 (8)  
*S. fragai*, 14 (12)  
*S. frigidum*, 12 (8)  
*S. galeratum* (= *reptans*), 12 (18)  
*S. galloprovinciale*, 15 (15-18), 17 (11)  
*S. ganalense*, 19(4)  
*S. goeldii* (as *goeldi*, error), 13 (8)  
*S. goinyi*, 2 (6)  
*S. gracilipes*, 17 (11)  
*S. griseicollis*, 4 (14)  
*S. guianense*, 3 (10-11), 4 (6/23), 6 (13-15), 7 (9), 9 (11), 10 (4/11-12), 12 (3/9-10/10/14), 15 (8-10/13), 18 (13-15/19-21)  
*S. guimari*, 6 (18)  
*S. haematopotum*, 7 (9), 19(4)  
*S. hargreavesi*, 3 (5), 10 (18)  
*S. hibernale*, 12 (8)  
*S. hightoni*, 2 (5-6)  
*S. hispaniola*, 3 (14)  
*S. horacioi*, 3 (21)  
*S. ibericum*, 3 (14)  
*S. ibleum*, 17 (11)  
*S. importunum* (now in *Greniera*), 6 (6)  
*S. impukane*, 10 (8)  
*S. incrustatum*, 3 (11), 9 (11), 10 (11-12), 12 (9-10/14), 15 (8-10/13), 18 (20-21)  
*S. intermedium*, 3 (14), 7 (6), 12 (17), 17 (12), 18 (9-10)  
*S. jenningsi* group, 4 (20)  
*S. jolyi*, 13 (11)  
*S. juxtacrenobium*, 7 (6), 12 (17), 18 (9)  
*S. kenyae*, 4 (15)  
*S. kilibanum*, 10 (8)  
*S. knidirii*, 17 (11)  
*S. laciniatum*, 13 (11)  
*S. lamachi*, 17 (11)  
*S. latigonium* (= *lundstromi*), 5 (7-17), 7 (6), 12 (17)  
*S. latinum* (= *velutinum*), 3 (14), 12 (18)  
*S. latipes*, 7 (6), 12 (17)  
*S. latipes* (auct. = *vernum*), 7 (6)  
*S. latipollex*, 18 (17)  
*S. leonense*, 6 (7/9), 12 (14), 19(6-8)  
*S. lineatum*, 3 (3/14), 5 (16), 7 (6), 12 (17), 18 (3/5/9-10)  
*S. llutense*, 6 (20)  
*S. luadiense*, 10 (18)  
*S. lundstromi*, 5 (7-19), 7 (6), 12 (17), 17 (11), 18 (9)  
*S. machadoi*, 18 (17)  
*S. marocanum*, 15 (15), 17 (11)  
*S. medusaeforme*, 10 (18)  
*S. mellah*, 17 (11)  
*S. mengense*, 4 (14), 18 (17)  
*S. metallicum*, 15 (13), 19(4)  
*S. minusculum*, 8 (11), 10 (4), 12 (3, as *minisculum*, error)  
*S. monticola*, 3 (14), 12 (7), 15 (18-19)  
*S. monticola* (auct. = *argyreatum*), 7 (6)  
*S. morsitans*, 12 (17), 18 (9)  
*S. multistriatum* group, 14 (7)  
*S. naturale*, 3 (14), 12 (17)  
*S. neavei*, 2 (6), 3 (4/11-12), 8 (3-5), 10 (8), 17 (3)  
*S. neavei* group, 2 (5-6), 3 (11)  
*S. nemorale*, 8 (12)  
*S. nigrimanum*, 10 (4), 12 (3)  
*S. nigritarse*, 1 (10), 10 (18)  
*S. nigrum*, 4 (10)  
*S. nitidifrons* (= *intermedium*), 3 (14), 7 (6), 12 (17),

- 18 (9-10)  
*S. noelleri*, 1 (7), 3 (28), 4 (19), 6 (19), 7 (6), 8 (6), 12 (17), 18 (3/9)  
*S. ochraceum*, 3 (21), 4 (4-5/6), 6 (11-12), 10 (5/12-14/14-15), 11 (7-12), 14 (5-6), 15 (6-8/13), 18 (13), 19(4/6-8)  
*S. oligocenicum*, 6 (6)  
*S. oligotuberculatum*, 12 (7)  
*S. ornatum*, 1 (3/6), 2 (3/9/12/14/18), 3 (3/3-4/14), 4 (10), 5 (8/16), 6 (16/19), 12 (7/8/18), 13 (18), 17 (12), 18 (9)  
*S. oyapockense*, 3 (10-11), 8 (11), 9 (11), 10 (11-12), 12 (10-11/14), 15 (8-10/13), 18 (20-21), 20(10)  
*S. pandanophilum*, 18 (17)  
*S. paraequinum*, 13 (18-19)  
*S. pamassum*, 13 (8)  
*S. perflavum*, 12 (11-12)  
*S. perflavum* group, 13 (9)  
*S. pertinax*, 9 (7/9)  
*S. petricolum*, 17 (11)  
*S. pinhaoi*, 3 (14)  
*S. posticatum* ('Blandford fly'), 1 (5), 2 (17), 3 (14/23-27), 7 (6), 8 (7-8), 12 (18), 16 (8/12), 18 (5/9)  
*S. pratorum* (= *ornatum*), 12 (8)  
*S. pseudequinum*, 2 (18), 3 (14), 7 (6), 12 (18), 17 (12)  
*S. pseudoincrustatum*, 12 (3)  
*S. pulchellum* (now in *Greniera*), 6 (6)  
*S. quadrifila*, 17 (12)  
*S. quadrivittatum*, 18 (17-19)  
*S. rasyani*, 3 (5), 18 (17)  
*S. reptans*, 1 (2), 2 (3), 3 (14), 12 (18), 16 (2-7), 18 (9)  
*S. roraimense*, 3 (10-11), 8 (11)  
*S. rostratum*, 7 (6), 12 (18)  
*S. rotundatum*, 12 (8)  
*S. ruficorne*, 3 (5/14), 5 (16), 8 (13), 16 (8-10), 17 (11)  
*S. ruficorne* group, 5 (9/16)  
*S. salopiense* (= *lineatum*), 7 (6), 12 (17)  
*S. sanctipauli*, 2 (9), 3 (13), 6 (9)  
*S. sanctipauli* 'Djodji' form, 2 (3/9)  
*S. sericatum* (= *erythrocephalum*), 12 (17)  
*S. sergenti*, 3 (14), 17 (12)  
*S. sirbanum*, 2 (3/9), 3 (8-9/13), 4 (14), 6 (9), 10 (5), 19(6-8)  
*S. soubrense*, 1 (3/6), 3 (9)  
*S. soubrense* 'B', 3 (7-8/9)  
*S. soubrense* 'Beffa' form, 2 (3)  
*S. spinosum* (= *trifasciatum*), 2 (12), 6 (19), 7 (6), 12 (18)  
*S. squamosum*, 2 (3/5/15), 3 (9/13), 4 (14), 6 (9)  
*S. subexcisum* (= *latipes*), 7 (6), 12 (17)  
*S. sublacustre* (= *rostratum*), 7 (6), 12 (18)  
*S. subornatum* (*noelleri*), 12 (17)  
*S. sudanense*, 3 (9)  
*S. tenerificum*, 6 (18)  
*S. toubkal*, 17 (11)  
*S. trifasciatum*, 2 (12, as *spinosum*), 6 (19), 7 (6), 12 (7/8/18), 15 (2), 17 (8-9/12), 18 (9)  
*S. tuberosum*, 1 (2), 3 (14), 7 (6), 12 (18)  
*S. urbanum*, 12 (18), 8 (9)  
*S. variegatum*, 1 (2), 2 (3), 3 (7/14), 12 (18), 17 (12), 18 (3/5)  
*S. velutinum*, 3 (14, as *latinum*), 5 (16), 7 (6), 12 (18), 16 (8), 17 (11)  
*S. venustum* s.str., 11 (13)  
*S. veracruzianum*, 19(4)  
*S. verecundum/venustum*, 4 (10)  
*S. vernum* s.l., 3 (14), 7 (6), 12 (7/18), 13 (15), 17 (11), 18 (9)  
*S. vittatum*, 4 (9), 14 (8), 16 (13-15)  
*S. woodi*, 10 (17), 12 (3)  
*S. xanthinum*, 17 (12)  
*S. yahense*, 1 (3/4), 2 (9/15), 3 (9/13), 6 (8/9)  
*S. yarzabali*, 3 (10-11)  
*S. yemenense*, 3 (5)  
*S. yerburyi* (= *latipes*), 7 (6), 12 (17)  
*S. zetlandense* (= *equinum*), 7 (6), 12 (17)  
*S. '6B1'*, 13 (8)  
*Stegopterna*, 12 (6)  
*Stegopterna richteri* (as *richterii*, error) (= *trigonium*), 18 (8-9)  
*Thyrsopelema*, *Simulium* subgenus, 9 (11), 12 (5)  
*Trichodagnia*, *Simulium* subgenus, 12 (5)  
*Wilhelmia*, *Simulium* subgenus, 3 (14), 17 (12)  
*Xenosimulium*, *Simulium* subgenus, 12 (5)

### Index of Other Organism Names

#### *Aedes* (Culicidae)

- A. aegypti*, 3 (3), 11 (3)  
*A. cantans*, 18 (5)

#### *A. cinereus*, 18 (15)

#### *A. communis*, 11 (3)

#### *Arrhenatherum elatius* (oat-grass), 18 (4)

- Austromermis namis* (Mermithidae), 19(14)  
 Bacillariophyta (algae), 12 (1-12)  
*Bacillus thuringiensis* (Bti) (bacterium), 2 (17), 4 (21),  
 8 (8), 9 (7-11), 17 (17)  
*Brugia pahangi* (filarial nematode), 1 (3)  
 Chloridovirus (virus), 3 (6)  
 Chlorophyta (algae), 12 (11-12)  
 Chrysops (Tabanidae), 18 (14)  
*Corvus frugilegus* (rook, Corvidae), 5 (16)  
*Culex reptans* (Culicidae), 8 (15)  
*Culicoides* (biting midges), 7 (9)  
     *Culicoides impunctatus*, 11 (3)  
 Cyanophyta, 12 (11)  
*Deschampsia cespitosa* (tussock grass), 18 (14)  
*Ditremamermis* spp. (Mermithidae), 19(14)  
*Drosera* (as *Drosera*, error, sundews, Droseraceae), 4  
 (23)  
*Drosophila* (fruit-fly), 2 (14)  
*Escherichia coli* (bacterium, as *Escherichia*, error), 4  
 (13)  
 Euglenophyta (algae), 12 (11)  
*Galleria mellonella* (wax moth, Pyralidae), 2 (17-18),  
 3 (6-7)  
*Gammarus pulex* (crustacean), 6 (17)  
*Gastromermis* spp. (Mermithidae), 19(14-17/26)  
*Glyceria fluitans* (manna grass), 5 (16)  
*Haematopota* (Tabanidae), 18 (14)  
*Harpella* (trichomycete fungi), 1 (4)  
*Harpellales* (trichomycete fungi), 1 (4), 2 (16)  
 Homoptera, 13 (15)  
*Hydrachnidia* (water-mites), 3 (15)  
*Hydromermis doloresi* (Mermithidae), 19(17/26)  
*Hydrostachys polymorpha* (Hydrostachaceae), 4 (16)  
*Hygrobatas fluviatilis* (water-mite), 3 (15)  
*Iridovirus* (virus), 3 (6-7)  
*Isomermis* spp. (Mermithidae), 19(17/26)  
*Lebertia porosa* (water-mite), 3 (15)  
 Legeriomycetaceae (trichomycete fungi), 1 (4)  
*Leucocytozoon* (blood protozoan), 13 (7)  
     *L. sakharoffi*, 5 (16)  
     *L. tawaki*, 12 (20)  
*Libellula* (dragonfly)  
     *L. aerea*, 8 (16)  
     *L. grandis*, 8 (16)  
*Limnomermis* spp. (Mermithidae), 19(17-18)  
*Limnophora riparia* (muscid fly), 1 (5)  
*Mentha spicata* (spearmint), 12 (21)  
 Mermithidae, species found in *Simulium*, 19(13-26)  
*Mesomermis* spp. (Mermithidae), 19(18-23/26)  
*Micrococcus luteus* (bacterium), 4 (13)  
*Myoporum laetum* (repellent tree, Myoporaceae), 12  
 (21)  
*Octomyomermis* spp. (Mermithidae), 19(23)  
*Onchocerca* (filarial nematode), 2 (8-9/14/15), 4  
 (6/7/14), 6 (12), 8 (8), 10 (5-6/7), 14 (4), 16 (1-2),  
 18 (11-13)  
     *O. armillata*, 2 (4)  
     *O. dukei*, 2 (15), 4 (14)  
     *O. gibsoni*, 2 (4)  
     *O. gutturosa*, 2 (4)  
     *O. lienalis*, 1 (3/6), 2 (4/9/14), 3 (3)  
     *O. ochengi*, 2 (3-4/15), 4 (14), 6 (11), 8 (8), 10 (7)  
     *O. ramachandirini*, 4 (14)  
     *O. volvulus*, 1 (3/7), 2 (3-4/9/12/15), 3 (3/4/7-8/10-  
 11), 4 (4/6-7/14), 6 (11), 8 (3-5), 9 (11),  
 10 (3-4/5-6/10-12/12-13/14-15/18), 11 (7-12),  
 12 (3/9/10/14), 15 (6-8/8-10/11-14),  
 18 (11-13/13-15/17), 19(4/6-8)  
*Phalaris arundinacea* (reed-grass), 5 (16)  
*Phlebotomus papatasi* (sand-fly, Psychodidae), 11 (3)  
 Podostemaceae (aquatic plants), 9 (11)  
*Potamonautes aloysiisabaudiae* (river-crab), 3 (12), 8  
 (5)  
*Ranunculus* (water-buttercup), 3 (15)  
 Pyrrhophyta (algae), 12 (11)  
*Rheotanytarsus* (chironomid midge), 3 (28)  
 Rhodophyta (algae), 12 (11-12)  
 Rotifera, 12 (12)  
*Sparganium* (bur-reeds)  
     *S. emersum*, 5 (15)  
     *S. erectum*, 5 (15)  
*Sperchon* (water-mites), 3 (3-4)  
 Stomoxyninae, 7 (9)  
*Styloconops albiventris* (ceratopogonid midge), 13 (10)  
 Trichomycetes (fungi), 1 (4), 2 (16), 19(1)  
*Turdus merula* (blackbird), 1 (8)

## Contributor Index

- Adler, P. H. (Peter), 11 (4-7/15-16), 12 (12-13),  
 17 (5-6/10-16/16-20), 18 (22-23)  
 Alencar, Y. B. ( - ), 12 (11-12)  
 Arzube, M. (Manuel), 2 (11-12), 3 (2)  
 Baez, M. (Marcos), 8 (13)  
 Barrault, D. V. (Denise), 8 (8)  
 Basañez, M.-G. (Maria-Gloria), 4 (6-7), 10 (5-6/10-  
 12/12-14), 12 (9-10/10-11/14-15), 15 (6-8/8-  
 10/11-14), 18 (11-13/13-15/17-19/19-21)  
 Bass, J. A. B. (Jonathon), 1 (2), 5 (7-19), 10 (14-16), 14

- (3-4)
- Baxter A. J. (Andrea), 2 (14)
- Belqat, B. (Boutaina), 15 (15-18), 17 (7-10/10-16)
- Bianco, A. E. (Ted), 2 (8-9)
- Bickerton, M. A. (Melanie), 3 (17-22)
- Botto, C. (Carlos), 10 (10-12), 12 (9-10/14-15), 15 (8-10/11-14)
- Bougeón, W. ( - ), 15 (11-14)
- Brackenboro, L. ( - ), 18 (17-19)
- Bueno, L. ( - ), 12 (10-11)
- Burger, J. F. (John), 17 (16-20)
- Carr, M. (Manfred), 19(4-6)
- Charalambous, M. (Magda), 2 (11-12), 3 (2), 6 (13-15)
- Chavasse, D. (Desmond), 10 (10-12)
- Cheke, R. A. (Bob), 2 (3/9), 3 (8), 12 (4)
- Collins, R. C. (Richard), 10 (12-14), 18 (17-19)
- Coronel, P. (Pablo), 15 (8-10/11-14), 18 (19-21)
- Cortez, J. (José), 12 (9-10/10-11), 15 (8-10/11-14), 18 (19-21)
- Cory, J. (Jenny), 2 (17-18), 3 (6-7)
- Coscarón, S. (Sixto), 12 (5/6)
- Coscarón-Arias, C. (Cecilia), 12 (6)
- Coupland, J. (James), 1 (2-3), 5 (5-6)
- Craig, D. A. (Doug), 5 (3-5), 13 (17)
- Crosskey, M.E. (Peggy) 20 (i-xii)
- Crosskey, R. W. (Roger), 1 (7-10), 2 (8), 4 (21-22), 5 (7-19), 6 (5-7/18/19-20), 7 (6), 8 (9-10/11-13/14-17), 10 (17-19), 11 (4-7), 12 (15-19), 13 (15), 15 (3-5/18-19), 16 (8-10), 18 (22-23), 19 (13-26), 20 (2-5/6-7/i-xii)
- Curtis, M. (Margaret), 2 (2)
- Dakki, M. (Mohamed), 17 (7-10/10-16)
- Darwich, S. M. ( - ), 9 (7-14)
- Davies, D. H. (Dai), 3 (8-9)
- Davies, J. B. (John), 2 (4-5), 4 (4-6/22-23), 6 (11-12), 10 (1-2/14-15), 11 (1/7-12), 12 (3), 13 (16), 14 (5-6/17), 15 (5), 16 (10-11/11), 17 (1-5), 18 (1-2/21-22), 19(9)
- Delves, C. J. (Chris), 2 (4)
- de Moor, F. C. (Ferdy), 14 (10-14)
- Denley, C. E. ( - ), 2 (12-13)
- Doyle, C. (Cathy), 2 (17-18)
- Errami, M. ( - ), 17 (7-10)
- Escalona, M. ( - ), 15 (8-10/11-14)
- Fairhurst, C. (Colin), 2 (2)
- Falk, S. (Steven), 18 (4-6)
- Frontado, H. (Hortensia), 12 (9-10/10-11), 15 (8-10/11/14), 18 (19-21)
- Frontado, M. (Miguel), 10 (10-12)
- Frost, S. (Stan), 5 (2)
- Garcia, M. (Mayila), 10 (10-12), 12 (14-15)
- Garms, R. (Rolf), 3 (4/11-12), 8 (3-5), 10 (7-10)
- Gelhaus, A. ( - ), 10 (7-10)
- Ghetti, P. F. ( - ), 13 (18-19)
- Gowtage-Sequeira, S. (Sony), 18 (13-15)
- Greenwood, M. T. (Malcolm), 3 (17-22)
- Grillet, M.-E. (Maria-Eugenia), 10 (10-12), 12 (9-10/10-12/14-15), 15 (8-10/11-14), 18 (19-21)
- Gryaznov, A. I. (Andrew), 4 (9-12)
- Hagen, H. E. (Hans), 2 (15), 8 (8), 10 (7), 14 (4-5), 16 (1-2)
- Halgos, J. (Josef), 12 (7)
- Ham, P. J. (Peter), 1 (3-4/6-7), 2 (14), 3 (3-4), 4 (13), 8 (8), 10 (7)
- Hamada, N. (Neusa), 12 (11-12/12-13)
- Hennings, I. (Ina), 18 (16-17)
- Hernández Triana, L.M. (Luis), 19(3-4)
- Higazi, T. (Tarig), 18 (13-15)
- Hill, N. (Nigel), 3 (14/23-27)
- Hood, J. (Jenni), 3 (3-4)
- Hultmark, D. ( - ), 8 (8)
- Hyder, A. H. (Alison), 13 (6-9)
- Ibañez-Bernal, S. (Sergio), 12 (6)
- Jedlička, L. (Ladislav), 12 (7-8)
- Jensen, F. (Frank), 13 (14)
- Katamanywa, J. (James), 8 (3-5)
- Kelly, D. (David), 18 (11-13)
- Kennedy, S. (Sharon), 19(6-8)
- Kipp, W. (Walter), 3 (4/11-12)
- Klager, S. L. (Sabine), 8 (8), 10 (7), 16 (1-2)
- Kouyate, B. ( - ), 2 (4)
- Krüger, A. (Andreas), 10 (7-10), 12 (3), 18 (16-17)
- Kuvangkadilok, C. (Chaliow), 14 (7-9)
- Ladle, M. (Mike), 1 (5), 2 (17), 8 (7-8)
- Lechthaler, W. (Wolfgang), 19(4-6)
- Losso, C. ( - ), 13 (18-19)
- Lowry, C. A. (Carolyn), 2 (11), 3 (2), 8 (10-11)
- Luján, R. (Ricardo), 4 (4-6), 10 (14-15), 11 (7-12), 14 (5-6)
- Luna Dias, A. P. A. (Paulino), 6 (13-15), 12 (3)
- Luz, S. (Sergio), 8 (10-11)
- Mafuyai, H. B. (Hayward), 2 (15-16), 3 (8-9)
- Maia-Herzog, M. (Marilsa), 6 (13-15), 8 (10-11), 12 (3)
- Malmqvist, B. (Bjorn), 13 (4-6)
- McCall, P. J. (Philip), 2 (3/4), 4 (8), 6 (7-9), 11 (3-4)
- McCrae, A. W. R. (Angus), 3 (14/23-27), 18 (16/17)
- McCreadie, J. W. (John), 11 (15-16), 12 (12-13)
- McKerrow, J. H. ( - ), 8 (8), 10 (7)
- Mendizabál Solé de Cabrera, R. ( - ), 14 (5-6)
- Merritt, R. W. (Rich), 1 (5), 17 (16-20)
- Millest, A. L. (Alice), 2 (19)
- Miranda-Esquivel, D. R. (Rafael), 12 (5)
- Morales Hojas, R. (Ramiro), 18 (15-16)
- Molloy, D. P. (Dan), 17 (16-20)

- Molyneux, D. H. (David), 3 (8-9)  
Moss, B. (Brian), 4 (19-20)  
Moss, S. T. (Steve), 1 (4), 2 (16)  
Moulton, J. K. (Kevin), 4 (20-21)  
Mwango, J. (John), 3 (15-16)  
O'Keeffe, J. H. ( - ), 1 (10-11)  
Osei, M. (Mike), 12 (4)  
Oskam, L. (Linda), 10 (14-15)  
Palmer, R. W. (Rob), 1 (10-11), 4 (21), 14 (10-13)  
Paniagua-Alvarez, A. J. ( - ), 14 (5-6)  
Partridge, D. (David), 6 (10-11)  
Pedron, M. ( - ), 13 (18-19)  
Penn, M. ( - ), 19(3-4)  
Petts, G. E. (Geoffrey), 6 (4-5)  
Poinar, G.O. (George), 19(13-26)  
Porter, C. H. (Charles), 18 (17-19)  
Post, R. J. (Rory), 1 (6), 2 (4/19), 3 (8-9/13), 12 (2-5),  
18 (15-16)  
Py-Daniel, V. (Victor), 9 (7-14)  
Raastad, J. E. (Jan), 12 (6)  
Raybould, J. N. (John), 2 (5-6)  
Razali, K. (Karina), 18 (11-13)  
Ready, P. H. (Paul), 3 (2)  
Renshaw, M. (Melanie), 3 (3)  
Renz, A. (Alfons), 4 (14-15)  
Reyz-Villanueva, F. (Filiberto), 10 (12-14)  
Roberts, M. J. (Mike), 4 (16-17)  
Rodriguez, M. H. (Mario), 10 (12-14)  
Rodriguez-Pérez, M. A. (Mario), 10 (12-14)  
Rojas, S. (Sergio), 10 (10-12)  
Rubaale, T. (Tom), 8 (3-5), 10 (7-10)  
Santos Grácio, A. J. dos (Antonio), 3 (13-14)  
Service, M. W. (Mike), 1 (11)  
Shelley, A. J. (Tony), 2 (11-12), 3 (2/10-11), 4 (21-22),  
6 10/13-15/20), 8 (10-11), 10 (3-4), 12 (3), 19(3-  
4), 20(1)  
Smail, A. J. ( - ), 1 (6-7)  
Smithies, B. (Bianca), 4 (13)  
Soares, C. ( - ), 12 (11-12)  
Stoops, C.A. (Craig), 19(11-12)  
Surtees, D. P. (David), 1 (6)  
Tagliapietra, D. ( - ), 13 (18-19)  
Takaoka, H. (Hiroyuki), 14 (7-9)  
Tambala, P. J. ( - ), 12 (3)  
Tanasychuk, V. N. ( - ), 9 (2-6)  
Taylor, M. ( - ), 2 (16)  
Thomas, A. (Alain), 20(2-5)  
Thomson, M. (Madeline), 12 (3)  
Trees, A. J. (Sandy), 2 (3-4)  
Tryapitsin, V. A. ( - ), 9 (2-6)  
Unnasch, T. R. (Thomas), 18 (13-15)  
Vajime, C. G. (Charles), 12 (3)  
Van den Hoek, T. H. (Tjeerd-Harm), 18 (7)  
Vasquez, N. ( - ), 15 (11-14)  
Vieira, J. C. (Juan Carlos), 18 (17-19)  
Villamizar, N. J. (Nestor), 10 (10-12), 12 (9-10/10-11/14-  
15), 15 (8-10/11-14), 18 (19-21)  
Vivas-Martinez, S. (Sarai), 10 (10-12), 12 (9-10/10-  
11/14-15), 15 (11-14), 18 (19-21)  
Volpi Ghirardini, A. (Annamaria), 13 (18-19)  
Wain, H. M. ( - ), 2 (12-13)  
Wallace, J. R. (John), 13 (6-9)  
Walsh, J. F. (Frank), 3 (5-6)  
Welton, S. (Stewart), 8 (7-8)  
Werner, D. (Doreen), 5 (7-19), 12 (13)  
Whitworth, J. (Jimmy), 3 (7-8)  
Wiggers, R. (Rink), 18 (7-10)  
Wiles, R. (Roy), 3 (15-16)  
Williams, T. (Trevor), 2 (17-18), 3 (6-7/15-16)  
Williams, T. R. (Trefor), 1 (1), 2 (12-13), 4 (17-18)  
Wilson, M. (Mike), 3 (13), 12 (4)  
Wood, P. J. (Paul), 6 (16-17)  
Wotton, R. S. (Roger), 1 (5), 2 (16), 3 (28), 4 (18-19),  
8 (5-7)  
Yocha, J. (John), 3 (4/11-12), 8 (3-5), 10 (7-10)