

# Index to the British Simuliid Group Bulletins Nos. 21 to 32 (2003-2009) including supplements

Compiled by R. W. Crosskey

A hard copy index to the contents of the British Simuliid Group Bulletins 1-20 (May 1992 to June 2003) was issued with Bulletin 20 in 2003. The index here provided carries the indexing forwards to cover Bulletins 21-32 (December 2003 to July 2009). The two Supplements that have so far been issued (with No. 27 relating to the International Symposium at Novi Sad and No. 31 relating to the International Symposium at Vilnius) are indexed as integral parts of the Bulletins. As previously, indexed items are presented in four sub-set indexes viz. to topics, blackfly scientific names, other organism names and author names. The last was earlier called Contributor Index but is now called Author Index in light of the fact that the entries derive largely from the abstracts of the symposia and not from contributions to the B.S.G. Bulletins per se.

For each entry in the index the Bulletin issue numbers are given first, followed by the relevant page(s) in parentheses; when the same indexed item occurs in separate articles within an issue the page references are separated by a slash (/). Supplement is rendered simply as 'S' suffixed to the Bulletin number, thus 27S for the Novi Sad symposium and 31S for the Vilnius symposium.

## Contents

Topics.... 1    Scientific Names.... 7    Other Organism Names.... 13  
Contributors.... 14

---

### Topic Index

Aerial blackfly control	in Spain, 28(22)
Serbia, 31S(6)	in Tanzania, 31S(20)
USA (Pennsylvania), 31S(19)	in USA, 27S(28-29)
Aggregations, larval, 23(16-17)	in Venezuela, 23(6)
Algonquin Park 1962 recalled, 32(15)	Simulium damnosum biting rates, 23(14)
Amber, blackfly in, 23(17)	Simulium damnosum s.l., East Africa, 23(10)
Annobón, blackflies absent, 21(9)	Armenia
Annual Transmission Potential (ATP), 26(2)	blackfly biodiversity, 23(21)
Anthropogenic effects, 23(7)	predation on blackflies in, 23(16), 27S(26- 27)
Anthropophily	species composition of fauna, 23(19-20)
in Brazil, 27S(7)	Austria, "Waldviertel" fauna, 31S(4-5)
in Germany, 27S(27)	
in Italy, 27S(20)	
in Poland, 27S(30)	
in Serbia, 27S(16-17/21-22)	

- Baktoculicid, use as larvicide, 29(3)  
 Balkans, blackfly fauna, 31S(17)  
 Baltic States, overview of fauna, 31S(32)  
 Barcoding (BACs), 25(6), 31S(20/21)  
 Belgium, Semois river sampling, 27S(18-19)  
 Berchtesgaden (Germany), *Simulium lamachi* at, 23(24-25)  
 Bioko (Gulf of Guinea), 23(5)  
 Biological control, *Cardiocladus oliffi* potential use, 27S(24-25)  
 Bionomics, general, *Simulium nigrum*, 25(9-12)  
 Biting habits  
     activity, 31S(19)  
     bloodfeeding, 31S(19)  
     periodicity, Amazonia, 23(6)  
 Black-Fly Conference, Algonquin 1962, photograph, 32(16)  
 Blandford fly (*Simulium posticatum*), 27(5-14)  
 Bougainville Island, blackflies in, 22(6-8)  
 Bovine onchocerciasis, Cameroon, 23(14)  
 Brazil, subgenus *Inaequalium*, 27S(7)  
 Britain  
     Blandford fly (*Simulium posticatum*) in, 27(5-14)  
     British Simuliid Group history, 27S(6)  
     history of blackfly research in, 23(15-16)  
     predation by Diptera in, 23(15-16)  
 British Simuliid Group, history first 25 years, 21(3-5)  
 Bti (*Bacillus thuringiensis israelensis* = H14), larvicide use,  
     algae affecting efficacy, 31S(18)  
     in Bioko (Equatorial Guinea), 31S(11)  
     in Galapagos, 21(13-14)  
     in Germany, 27S(27)  
     in Lithuania, 29(3), 31S(27)  
     in Serbia, 27S(29, against *Simulium ornatum*), 31S(6)  
     in USA, 27S(27)  
     against *Simulium jenningsi* group, 31S(19)  
 Cameroon  
     Mount Cameroon, 21(9)  
     onchocerciasis in, 23(14), 27S(15-16)  
 Canary Islands  
     in Gomera island, 23(22)  
     in La Palma island, 31S(7)  
 Carpathian Mountains  
     blackfly fauna of, 27S(8/9)  
     forest stream blackflies in, 23(7)  
 Cattle  
     death from blackfly attack, Germany, 25(10)  
     subject to *Simulium chutteri* attack, 31S(23)  
 Caves, habitat of *Anopheles faini*, 32(9)  
 Checklists  
     Baltic States, 31S(32)  
     Finland, 29(9-15)  
     Turkey (announcement only), 27S(16)  
     Ukraine, 31S(30-31/36)  
     World Inventory announcements, 22(5-6), 30(13)  
 Cheesman, L.E., appreciation with portraits, 26(12-21)  
 Chlamydia, suspected blackfly transmission, 31S(23)  
 Christmas card, cartoon, 24(3)  
 Chromosomes, 27S(6)  
     cytotaxonomy, atlas for Palaearctic species, 31S(28)  
     karyotypes, survey of, 23(23-24)  
     microdissection, 25(5-6)  
     *Simulium sirbanum*, in Nigeria, 28(18-19)  
     triploidy, 27S(6)  
 Circadian rhythms, Amazonian spp., 23(6)  
 Colombia, in Travellers' Tales, 24(7-8)  
 Control, of blackflies  
     in Bioko (Equatorial Guinea), 31S(11/12)  
     in Galapagos, with Bti, 21(13-14)

- in Lithuania, 29(3)  
in Serbia, 31S(6)  
in Tanzania, 31S(20)  
in USA (Pennsylvania), 31S(19)  
'intermittent eradication', 24(2)  
*Simulium buissoni* ('no-no'), attempted eradication, 26(18)  
*Simulium damnosum* s.str., Uganda, 24(2)  
*Simulium jenningsi* group, 31S(19)  
*Simulium thylense*, 31S(20)  
*Simulium yahense* 'Bioko' form, 31S(11/12)  
use of Baktoculicid/VectoBac, 29(3), 31S(6)  
using temephos, 31S(20)  
Cytology: see chromosomes  
Dalmat, Herbert T.  
list of described species, 26(11-12)  
publications list, 26(10-11)  
obituary and tribute, 26(3-10)  
Danube blackflies  
influence of river barrage, 23(7)  
outbreaks, *Simulium erythrocephalum*, 27S(21-22)  
overview of, 27S(8-9)  
photograph, 32(14)  
publication on notified, 30(13)  
taxonomic questions about, 27S(9)  
DDT insecticide, use in Nigeria, 30(10-12)  
Death notices  
Copeman, Bruce, 26(22)  
Davies, Douglas, 29(1)  
Davies, Lewis, 27(1)  
McCrae, Angus, 23(1)  
Peterson, R.V., 26(22)  
'Definition' of blackfly, 25(17)  
Development, *Simulium nigrum*, 25(9-12)  
Distribution  
eggs of *Simulium nigrum*, 25(11)  
in Finland, 23(8-9)  
in Gomera island (Canaries), 23(22)  
in Novi Sad area (Serbia), 21(6-7)  
of larvae, Lithuanian rivers, 23(3), 27S(24)  
Europe Central, at high altitudes, 23(9)  
Europe NW, *Simulium petricolum*, 23(13)  
larval, rivers of West Tuva, 31S(31-32)  
macroinvertebrates in Western Ghats (India), 31S(29)  
North America, 27S(21)  
Siberia, relation to changing environment, 31S(18)  
*Simulium posticatum* in Britain, 27(5-14)  
DNA (molecular taxonomy)  
DNA barcoding, 25(6-7), 31S(20/21)  
DNA BAC library, 29(2), 31S(21)  
Genoma Project, 24(6-7), 27(3-4), 29(2), 31S(20)  
ISSR profiles, 23(12), 27S(8)  
Duke, B.O.L., obituary, 26(2-3)  
Economic impact, USA, 27S(28)  
Ecuador, *Simulium exiguum* vector in, 21(14-18)  
Estonia, simuliids in, 31S(32)  
EST Project, 27(3-4)  
Ethiopia, *Simulium damnosum* s.l. in, 23(10), 25(14)  
Fennoscandia  
distribution in, 31S(16-17)  
identification (CD-ROM), 31S(16-17)  
new species synonymies, 31S(16-17)  
Fain, A., portrait, 32(7)  
Finland, 27S(12)  
blackfly conservation status, 27S(12)  
checklist, 29(1, 9-15)  
faunal study, 23(8-9)  
mating swarms observed, 31S(29)  
Fossil blackflies, amber, 23(17)  
Fontaine, Margaret, 31(8-10)  
Galapagos Islands, 21(13-14)  
Genome Project, 24(6-7), 27(3-4), 29(2), 31S(20)

- Germany  
 biotope of *Simulium lamachi*, 23(24)  
 changing species spectrum, 27S(23)  
 distribution in Ruhr catchment, 23(23)  
 Oder river studies, 27S(23)  
 predation on blackflies, 23(16)  
 water management, 27S(23)  
 water-mites on blackflies, 23(
- Gulf of Guinea, blackfly endemism, 21(9-10)
- Guyana, simuliids in, 21(7)
- Habitat  
 Simulium Sites, *S.colombaschense*,  
 R. Danube 32(14)
- Histories  
 blackfly research in Britain, 27S(6)  
 British Simuliid Group, 27S(6)  
 European symposia, 27S(5)  
 historical literature, Northern Europe,  
 23(13-14)  
 International symposium (Berlin), 27S(5)
- Honorific names in blackflies, 31(5-6),  
 32(11-13)
- Hungary, faunal survey in, 31S(26)
- Identification  
 Fennoscandia, announcement of  
 CD-ROM, 31S(16-17)  
 Italy, announcement of key, 30(14)  
 larval, by digital key, 23(4)
- India, *Simulium* in Western Ghats, 31S(29)
- International Symposia Reports  
 1st, Berlin, 23(2)  
 2nd, Novi Sad, 27(1-2) [see B.S.G.  
 Bulletin 27 (Supplement)]  
 3rd, Vilnius, 31(3-4) [see B.S.G. 31  
 (Supplement)]
- Inventory, world blackflies  
 First web version announced, 22(5-6)  
 Revision dated 2008 announced,  
 30(13)
- Ireland, work on blackflies in, 21(20-21)
- ISSR profiles in taxonomy, 23(12), 27S(8)
- Italy  
 adult fly trapping, 27S(19)  
 new key to blackfly fauna, 30(14)  
 Ivermectin, use in Cameroon, 23(14)  
 Jamnback, H.A., portrait, 30(5)  
 Kachvoryan, E.A., portrait, 32(3-5)  
 Larval studies  
 gut (what happens in?), 31S(21-22)  
 marking, Methylene Blue, 27S(20-21)  
 pathogens, North America, 31S(26)  
 sampling, 27S(18-19)  
 spatial ecology, 27S(21)  
 Latvia, simuliids in, 31S(32/33)  
 Lithuania, 23(3/18),  
 control of pest species, 29(2-3), 31S(27)  
 simuliid fauna, 29(2-4), 31S(32)  
 Livestock, blackfly attacks on, 25(10),  
 31S(23-24)  
 'Macbeth' quotation from, 30(10)  
 Macrofilaricides, need for, 23(14)  
 Malawi, *Simulium damnosum* s.l., 23(10)  
 Marquesas Islands, 26(12-21)  
 Mating  
*Simulium lineatum*, 23(18)  
 Swarms observed, Finland, 31S(29)  
 Mectizan (= Ivermectin), use in Cameroon,  
 23(14)  
 Meeting Reports, British Simuliid Group  
 25th (2003, Natural History Museum,  
 London), 21(2-3)  
 26th (2004, Berlin), 23(2)  
 27th (2005, Oxford University Museum),  
 25(2-5)  
 28th (2007, Oxford University Museum),  
 29(1,5 (portraits))  
 29th (2008, Vilnius, Lithuania) 31(3-4)  
 Meeting Reports, International  
 See International Symposia Reports  
 Melville, Hermann, book 'Typee', 26(18)  
 Mexico  
 onchocerciasis transmission, 27S(14-15)

- Simulium ochraceum* oviposition  
 Mini-Biographies  
   Examples of, 31(6-8)  
   Idea of, 31(1/5-6)  
   Berner, L., 32(11)  
   Buckley, J.J.C., 32(11-12)  
   Hargreaves, H., 32(12)  
   Hesse, A.J., 32(12)  
   Noeller, W., 31(6)  
   Schouteden, H., 31(7)  
   Schwetz, J., 32(13)  
   Tömösváry, Ö., 31(6-7)  
   Vargas, D.L., 32(13)  
   Wood, R.C., 31(7-8)  
 Molecular taxonomy, see DNA Entries  
 Morphology  
   antennal sensilla, 31S(23-24)  
   ecomorphology, S27(11)  
   tarsal claw form, 27S(13)  
 Nearctic/Palaearctic fauna overview, 23(2)  
 Neotropical region  
   blackfly systematics in, 31S(13)  
   Inaequalium revision, 27S(6-7)  
 New Hebrides (Vanuatu), 26(13,19-21)  
 Nigeria  
   *Simulium* Control Scheme, 30(10-13)  
   *Simulium sirbanum* in, 28(17-21)  
 No-no (*Simulium buissoni*) in Marquesas, 26(12)  
 North America  
   Monograph (Adler et al. 2004) announced, 22(4-5)  
 Obituaries  
   Davies, L., 28(2-8, 11-16, portraits)  
   Downes, J.A., 22(8-9)  
   Fain, A., 32(5-10)  
   Fallis, A.M., 21(22)  
   Fredeen, F.J.H., 21(22-23)  
   Jamnback, H.A., 30(2-5, portrait)  
   Kachvoryan, E.A., 32(3-5)  
   McCrae, A.W.R., 24(2-3)  
   Rühm, W., 21(22)  
   Stone, A., 22(9-10)  
 OCP (Onchocerciasis Control Programme, West Africa), 21(10)  
   Jamnback and, 30(3)  
 'Ode to a personal computer' ('Trivia'), 25(16)  
 Oder River (Germany), *Simulium nigrum*, 25(9-12)  
 Onchocerciasis  
   animal *Onchocerca*, 27S(13/16)  
   blindness patterns, 21(10-12)  
   eradication feasibility, 23(14)  
   *Onchocerca-Simulium* complexes, 21(11-12), 26(2), 27S(16)  
   *Simulium exiguum* vector competence, 21(14-18)  
   transmission by *Simulium damnosum* 'Bioko', 23(5)  
   transmission by *Simulium damnosum* s.l., Cameroon, 27S(15-16)  
   transmission by *Simulium ochraceum*, 27S(14-15)  
   transmission potentials, Cameroon, 23(14)  
 ORSTOM, in Marquesas, 26(18)  
 Oviposition  
   of *Simulium nigrum*, Germany, 25(11)  
   of *Simulium ochraceum* s.l., Mexico, 21(18-20)  
   of *Simulium vittatum* IS-7, USA, 27S(25)  
 Pacific islands, 26(12-21)  
 Palaearctic Region  
   polytene chromosome atlas, 31S(28)  
   simuliid phylogeny, 31S(34-35)  
 Pathogens, of larvae, North America, 31S(26)  
 Pest species  
   Lithuania, 29(2-3)  
   South Africa, 31S(23)

- Pheromones, in precopulatory behaviour, 31S(22)
- Phylogeny  
 Simuliinae in Palaearctic, 31S(34-35)  
 Simulium damnosum s.l., evolution 25(13-15)
- Pied Flycatcher (*Ficedula hypoleuca*), breeding, 31S(34)
- Poland  
 larval habitat quality, 31S(10)  
 outbreaks (mass occurrences), 27S(30)
- Polynesia, blackflies in, 26(12-21)
- Pomeroy, Arthur W.J., 31(8-10)
- Portraits, of simuliidologists  
 at BSG meeting, September 2007, 29(5)  
 Davies, L., 28(12-13)  
 Fain, A., 32(7)  
 Jamnback, H.A., 30(5)  
 Kachvorian, E.A., 32(4)
- Predators, on blackflies  
 in Armenia, 23(16), 27S(26-27)  
 in Germany, 23(16)  
 in USA, 23(16)  
 Diptera, 21(8), 23(15-16), 27S(26-27), 31S(25)  
 spiders, 27S(26)  
 Trichoptera, 27S(26)
- Principe, *Simulium dentulosum* in, 21(9)
- Publications lists  
 Dalmat, H.T., 26(10-11)  
 Davies, L., 28(8-11)  
 McCrae, A.W.R., 24(4-5)
- Pupal gills, variation in *Prosimulium rufipes*, 23(15)
- Raiatea (Society Islands), 26(16)
- Rearing, University of Georgia colony, 27S(25/27-28)
- Rift Valley Fever virus, 31S(23)
- River management/regulation effects  
 Europe, 31S(9)  
 Germany, Oder river, 27S(23)  
 Sweden, 23(12), 31S(34)
- Sao Tomé, new species recognized in, 21(9)
- 'Scourge of the Pacific', 26(12-21)
- Serbia, blackfly fauna Novi Sad area, 21(6-7), 23(7)
- Sheep, blackflies implicated in Chlamydia infection, 31S(23)
- Siberia, larval distribution, West Tuva 31S(31-32)
- Simuliid Sites  
 R.Danube at "Iron Gate". 32(14)
- Slovakia, 27(8)  
 Hron river system spp., 31S(5)  
 habitat gradient, 27S(22-23)  
*Prosimulium rufipes* in, 23(15)
- Society Is, blackflies in: see Craig 26(12-21)
- South Africa  
 Dipteran predators in, 31S(25)  
 livestock pest in, 31S(23-24)  
*S. chatteri*, antennal sensilla, 31S(23-24)
- Spain, bloodsucking blackflies in, 28(22)
- Speciation, 27S(6)
- Species status, assessment of, 31S(12-13)
- Sweden  
 Pied Flycatcher breeding, 31S(34)  
 river regulation effects, 23(12-13)
- Tahiti, 26(12, 16)
- Tanzania  
*Simulium damnosum* s.l., 23(10), 25(14), 31S(20)  
*Simulium thyolense*, cytotoxonomy, 31S(20)
- Taxonomy  
*Boreosimulium*, 27S(10)  
 ISSR, use at species level, 23(12)  
*Inaequalium* review, 27S(6-7)  
 Neotropical region, 23(8), 27S(6-7)  
 Northern hemisphere fauna, 27S(6)  
*Simulium maximum*, 23(11)  
*Simulium variegatum* group, 27S(7-8)  
*Taeniopterna*, 27S(10)

- Trapping, use of C02  
 in Italy, 27S(19)  
 in Serbia, 21(6), 23(6)  
 in Sweden, 31S(16)
- Travellers' Tales  
 La Sierra de la Macarena (Colombia),  
 24(7-8)  
 M. Fountaine meets A. Pomeroy, 31(8-10)
- Trichomycete symbionts, *Smittia culisetæ*  
 development, 27S(26)
- Type material, *Stegopterna* revision,  
 31S(14-15)
- Tübingen (Germany), water-mites in area,  
 23(22)
- Turkey  
 checklist announcement, 27S(16)  
 environmental relations, 27S(17-18)  
 faunal overview, 31S(17/30)
- Uganda, *Simulium damnosum* s.l., 25(14)
- Ukraine  
 fauna of southeastern part, 31S(35-36)  
 species checklist, 31S(30-31) USA, USA,  
 predation on blackflies, 23(16)  
 Vanuatu (New Hebrides), 26(13,19-21)  
*Vectobac* 12AS larvicide (see also Bti),  
 27S(25), 29(3), 31S(6/27)  
 Vector competence, *Simulium exiguum*,  
 Ecuador, 21(14-18)  
 Venezuela  
 anthropophily in, 23(6)  
 biting periodicity, Amazonia, 23(6)  
 Vernacular Names Project, 23(19), 28(1),  
 29(6-7)  
 Water-mites, on pupae and adults,  
 23(22-23)  
 Water quality/pollution  
 European rivers, general, 25(10), 31S(9)  
 German rivers, 23(22/23)  
 Polish rivers, 31S(10)  
 World perspective on blackflies, 31S(4)  
 Yule, Catherine (Cathy), studies in  
 Bougainville, 22(6-8)  
 Zoophily, *Simulium damnosum* s.l., 27S(13)

### Blackfly Scientific Names Index

- Ahaimophaga, 23(24)  
 Archesimulium, 31S(35/36)  
 Argentisimulium, 31S(28/35/36)  
 Boophthora, 31S(4/28/30/32/35/36)  
 Boreosimulium, 27S(10)  
 Byssodon, 31S(30/34/36)  
 Cleitosimulium, 31S(35)  
 Cnephia, 31S(30/34)  
   *C. andrei* 'sp.n.', 31S(36)  
   *C. eremites*, 29(14)  
   *C. intermedia*, 31S(17)  
   *C. lapponica*, 31S(36)  
   *C. pallipes*, 29(14), 31S(30)  
   *C. toptchievi*, 31S(30)  
 Cnesiamima, 31S(13)  
 Cnetha, 31S(28/30/34/36)  
 Distosimulium, 27S(10)  
 Ectemnaspis, 31S(13)  
 Ectemnia, 23(17)  
   *E. cerberus*, 23(17)  
 Ectemniini, 31S(30/34)  
 Edwardsellum, 27S(13)  
 Eusimulium, 27S(12), 31S(28/32/30/34/36),  
 32(17)  
 Gnus, 31S(28/35)  
 Gomphostilbia, 31S(34)  
 Greniera, 23(17), 31S(34)  
   *G. affinis*, 23(17)  
   *G. importuna*, 23(17)  
   *G. ivanovae*, 29(10,14)  
   *G. pulchella*, 23(17)  
 Gymnopaadini, 31S(30)

- Gymnopais, 27S(10)  
 Hearlea, 31S(13)  
 Helliichiella, 27S(10), 29(10), 31S(32/36)  
     *H. latipes*, 31S(36)  
     *H. oligocenica*, 23(17)  
 Helodon, 23(24), 27S(10), 31S(28/32)  
     *H. ferrugineus*, 29(14), 31S(32)  
 Hemcnetha, 31S(13)  
 Inaequalium, 27S(7), 31S(13) Levitinia,  
     31S(28)  
 Lutzsimulium, 31S(13)  
 Metacnephia, 23(24), 31S(28/29/34)  
     *M. blanci*, 27S(9)  
     *M. danubica*, 27S(9)  
     *M. korsakovi*, 31S(17)  
     *M. lyra*, 23(13), 29(14), 31S(16)  
     *M. persica*, 23(21)  
     *M. saileri*, 29(14), 31S(17)  
     *M. subalpina*, 23(20/21)  
     *M. tredecimata*, 29(14)  
     *M. trigoniformis*, 23(8), 29(12-13)  
 Metomphalus, 27S(13)  
 Montisimulium, 23(21), 31S(28/34)  
 Morops, 22(6-7), 31S(34)  
     'Morops 1' (= *S. pangunaense*), 22(7)  
     'Morops 2' (= *S. yuleae*), 22(7)  
 Nevermannia, 31S(29/30/32/34/36)  
 Nevermanniini, 31S(30/34)  
 Obuchovia, 31S(35)  
 Odagmia, 23(24), 31S(28/34-35/36)  
 Parabyssodon, 31S(35)  
 Paragnus, 31S(35)  
 Parahelodon, 23(24), 27S(10)  
 Pedrowygomia, 31S(13)  
 Phoretodagmia, 31S(35)  
 Psilopelmia, 31S(13)  
 Prosimuliinae, 31S(30)  
 Prosimuliini, 31S(30)  
 Prosimulium, 23(24), 27S(10), 31S(28/32)  
     *P. arctica*, 27S(10, Taeniopterna)  
     *P. erythronotum*, 27S(10, Taeniopterna)  
     *P. hirtipes*, 23(23), 27S(20), 29(14),  
     31S(5/30)  
     *P. isos*, 31S(28)  
     *P. kolymensis*, 27S(10, Taeniopterna)  
     *P. korshunovi*, 27S(10, Taeniopterna)  
     *P. latimucro*, 23(9) 31S(30)  
     *P. luganicum*, 29(14)  
     *P. macropyga*, 27S(10, Taeniopterna),  
     29(14)  
     *P. macropyga* group, 27S(6)  
     *P. neomacropyga*, 27S(10, Taeniopterna)  
     *P. nigratum*, 31S(30) *P. pamiricum*,  
     31S(28)  
     *P. pecticrassum*, 31S(28)  
     *P. rufipes*, 23(7/12/15/23), 31S(5/30/32)  
     *P. rachiliense*, 23(20)  
     *P. tomosvaryi*, 23(7/20), 27S(20), 31(6-7),  
     31S(5/30)  
     *P. tredecimfistulata*, 27S(10, Taeniopterna)  
     *P. ursina* (-um), 27S(10, Taeniopterna),  
     29(14)  
     *P. zaitzevi*, 27S(10, Taeniopterna)  
 Psaroniocompsa, 23(8), 27S(7)  
 Psilocnetha, 31S(34)  
 Psilozia, 31S(4/35)  
 Rubzovia, 23(24-25)  
 Schoenbaueria, 23(8), 25(9-10),  
     31S(32/34/36)  
 Shelleyellum, 31S(13)  
 Simuliinae, 31S(31/34-35)  
 Simuliini, 31S(31/34)  
 Simulium s.l.,  
     *S. abbreviatum* [sic], 31S(31)  
     *S. acutipallus*, 31S(31, Odagmia)  
     *S. acutum*, 27S(10, Boreosimulium)  
     *S. albifrons*, 31S(36, Odagmia)  
     *S. albivergulatum*, 32(8)  
     *S. alcocki*, 21(9)  
     *S. akopi*, 23(20)  
     *S. amazonicum*, 23(8)  
     *S. amazonicum* group, 23(8)



- S. andreii* 'sp.n.', 31S(36, *Wilhelmia*)  
*S. angustifurca*, 31S(31, *Wilhelmia*)  
*S. angustimanus*, 31S(31, *Odagmia*)  
*S. angustipes*, 23(21), 27S(19), 29(14),  
 31S(5/32/36, *Eusimulium*)  
*S. angustitarse* (-is), 27S(11), 29(14),  
 31S(36, *Nevermannia*)  
*S. annuliforme*, 27S(10, *Boreosimulium*),  
 31S(17)  
*S. annulitarse*, 29(14)  
*S. annulus*, 27S(10, *Boreosimulium*),  
 29(14), 32(17)  
*S. annulus* group, 27S(10, *Hellichella*)  
*S. arctium*, 27S(10, *Boreosimulium*)  
*S. argenteostriatum*, 31S(31,  
*Cleitosimulium*)  
*S. argyreatum* (-a), 23(23), 27S(7-8/23),  
 29(14), 31S(5), 31S(31, *Odagmia*)  
*S. aropaense*, 22(6)  
*S. aureofulgens*, 23(21)  
*S. aureum*, 21(6), 27S(23), 29(14),  
 31S(36, *Eusimulium*)  
*S. aureum* group, 23(13/20/22/23), 29(10)  
*S. aureum* 'l' (= *velutinum*), 29(10)  
*S. auricoma*, 31S(31, *Obuchovia*)  
*S. austeni* (= *posticatum*), 27(5-13),  
 31S(36)  
*S. australe*, 23(20)  
*S. auricoma*, 23(7)  
*S. baffinense*, 27S(10, *Boreosimulium*),  
 29(10,14)  
*S. balcanicum* (-a), 21(6-7), 23(5-6/7),  
 31S(5/6/26), 31S/31 and 36, *Wilhelmia*)  
*S. balteatum*, 27S(10, *Boreosimulium*)  
*S. baracorne* (-is), 31S(30 and 36,  
*Odagmia*)  
*S. beltukovae*, 29(14)  
*S. berneroi* 32(11)  
*S. bertrandi*, 27S(23), 31S(5)  
*S. bezzii*, 23(20), 31S(4), 31S(31,  
*Tetisimulium*)  
*S. bergi*, 23(20), 31S(31)
- S. bicorne*, 29(14)  
*S. bipunctatum* (= *ochraceum*), 21(13-14)  
*S. botulibranchium* group, 27S(7)  
*S. brevidens*, 23(7)  
*S. brevifilis*, 31S(31, *Obuchovia*)  
*S. bucklei* 32(11-12)  
*S. bucovskii* [sic], 31S(31)  
*S. buissoni*, 26(12,17-18)  
*S. canonicolum*, 27S(10, *Boreosimulium*)  
*S. carpathicum* (-a), 29(14), 31S(5/17),  
 31S(36, *Cnetha*)  
*S. carthusiense* (-is), 31S(5), 31S(30,  
*Cnetha*)  
*S. caucasicum* (-a), 27S(27), 31S(31 and  
 36, *Odagmia*)  
*S. cervicornutum*, 21(9-10)  
 'Pomeroy' form, 21(9)  
*S. cheesmanae*, 26(12)  
*S. chodakovi*, 31S(30, *Cnetha*)  
*S. chubarevae*, 23(20)  
*S. chatteri*, 31S(23-24)  
*S. clarkei*, 27S(10, *Boreosimulium*)  
*S. clarki*, 27S(7)  
*S. codreanui*, 31S(5), 31S(30, *Cnetha*)  
*S. colombaschense*, 23(7), 27S(9/11),  
 31S(17), 32(14)  
*S. costatum*, 21(6-7), 23(7/12), 31S(32),  
 31S(30, *Cnetha*)  
*S. crassum*, 27S(10, *Boreosimulium*),  
 29(14)  
*S. crenobium*, 27S(11), 31S(5/12-13),  
 31S(30, *Cnetha*)  
*S. cryophilum*, 23(7/21), 27S(23), 29(14),  
 31S(32/33), 31S(30, *Cnetha*)  
*S. curvans*, 29(14)  
*S. curvistylus*, 29(14), 31S(17/31)  
*S. damnosum* s.l., 21(11), 23(10/14), 4(2),  
 25(5-6/13-15), 26(2), 27S(13/24), 8(19-  
 20), 29(2), 30(3), 31S(11/20/21), 32(8)  
*S. damnosum* s.str., 21(11), 24(2)

- S. damnosum* 'Hamedense', 23(10)  
*S. damnosum* 'Kaku', 25(13)  
*S. damnosum* 'Jimma', 23(10)  
*S. damnosum* 'Kasyabone', 31S(20)  
*S. damnosum* 'Kibwezi' 23(10), 25(13)  
*S. damnosum* 'Kulfo' 23(10), 25(14)  
*S. damnosum* 'Nkusi', 23(10), 27S(13)  
*S. danubense*, 27S(9)  
*S. debacii*, 23(20/21)  
*S. degrangei*, 23(7), 31S(31, Paragnus)  
*S. delizhanense*, 23(20)  
*S. dendrofilum*, 29(10,14)  
*S. dentulosum*, 21(9)  
*S. deserticola*, 31S(31 and 36, Odagmia)  
*S. dogieli*, 29(10,14)  
*S. dolini*, 31S(31 and 36, Argentisimulium)  
*S. duplex* (= *johannseni*), 27S(10, Boreosimulium)  
*S. elburnum*, 31S(17)  
*S. emarginatum*, 27S(10, Boreosimulium)  
*S. equinum* (-a), 21(6), 23(12/22/23), 5(7/11), 27(13), 27S(12/23/24/27), 29(3-4/14), 31S(5/6/10/19/22-23/31 and 36, *Wilhelmia*)  
*S. erythrocephalum* (-a), 21(6-7), 23(5-6/7), 25(10), 27(13), 27S(11/21-22/23/27), 29(3/14), 31(Supplement)(5/6/19/26/27/30 and 36, *Wilhelmia*)  
*S. exasperans*, 26(16)  
*S. exiguum* s.l., 21(14-18)  
*S. fontium* (-a), 23(20), 31S(30, *Cnetha*), 32(3)  
*S. fontinale*, 29(14)  
*S. frigidum* (-a), 29(14), 31S(31 and 36, *Odagmia*)  
*S. ganalesense*, 23(8)  
*S. garniensis* 32(3)  
*S. geigelense* (as *geigelense*), 31S(30, *Cnetha*)  
*S. guianense* s.l., 21(7), 23(6)
- S. guimari*, 23(22)  
*S. hargreavesi*, 32(12)  
*S. hessei*, 32(12)  
*S. hibernale*, 31S(31)  
*S. ibariense*, 27S(11)  
*S. inaequale*, 27S(7)  
*S. inaequale* group, 27S(7)  
*S. incrustatum*, 23(6)  
*S. intermedium*, 23(22), 27S(20), 29(11-12,14-15), 31S(31 and 36, *Odagmia*)  
*S. ivanovae*, 29(10)  
*S. ivashentzovi*, 31S(31, *Wilhelmia*)  
*S. jenningsi* group, 27S(27), 31S(19)  
*S. jocularum*, 27S(10, *Boreosimulium*)  
*S. johannseni*, 27S(10, *Boreosimulium*)  
*S. juxtacrenobium*, 29(11,14), 31S(12-13)  
*S. juxtadamnosum*, 25(14)  
*S. kachvorjanae*, 31S(31 and 36), 32(3)  
*S. kaffaense*, 25(14)  
*S. karasuae*, 31S(31, *Obuchovia*)  
*S. kerteszi*, 31S(36, *Nevermannia*)  
*S. kietaense*, 22(6)  
*S. kilibanum*, 23(10), 25(14), 31S(20)  
*S. kiritshenkoi*, 23(20), 31S(28)  
*S. krymense*, 31S(30 and 36, *Eusimulium*)  
*S. lamachi*, 23(24-25), 27S(11)  
*S. latigonia*(-um), 31S(30 and 36, *Nevermannia*)  
*S. latipes*, 31S(32), 31S(30 and 36, *Hellichella*)  
*S. latipes* auct. = *vernum*, 31S(36)  
*S. lidiae*, 31S(30, *Cnetha*)  
*S. liliae* 'sp.n.', 31S(36, *Wilhelmia*)  
*S. lineatum* (-a), 21(6), 23(7/18/20), 27S(19/23/24/27), 29(3-4), 31S(5/10/22-23/27), 31S(30 and 36, *Wilhelmia*)  
*S. longipalpe*, 31S(31)  
*S. lundstromi*, 21(6-7), 23(12), 27S(11), 29(14), 31S(26), 31S(30 and 36, *Nevermannia*)

- S. lurybayae*, 27S(7)  
*S. luttiae* 'sp.n.', 31S(36, Nevermannia)  
*S. maculatum* (-us), 23(3), 27S(9), 29(2-4), 31S(27), 31S(30, Byssodon)  
*S. malardei*, 26(16)  
*S. maranguapense*, 27S(7)  
*S. margaritae*, 23(20/21)  
*S. margaritatum*, 27S(7)  
*S. marinae* 'sp.n.', 31S(36, Hellichella)  
*S. mathiesseni* [sic] (= *nigrum*), 27S(9), 31S(36, Schoenbaueria)  
*S. mathiesseni*, 27S(9)  
*S. maximum* (-a), 23(11), 27S(7-8), 31S(5), 31S(31, Odagmia)  
*S. mediterraneum* (-a), 31S(36, *Wilhelmia*)  
*S. mengense*, 25(13-14)  
*S. minusculum*, 23(8)  
*S. monticola*, 23(11/12), 27S(7-8/23), 29(14), 31S(5), 31S(31, Odagmia)  
*S. morsitans*, 23(7/23), 27S(11/24), 29(3-4/12, 14), 31S(5/31/32), 31S(31 and 36)  
*S. murmanum*, 29(14)  
*S. neavei*, 24(2), 32(8)  
*S. nigrum* (-a), 25(9-13), 27S(9/27), 31S(19), 31S(30 and 36, *Schoenbaueria*)  
*S. nitidifrons*, 31S(36, Odagmia)  
*S. noelleri*, 21(8), 23(7/16/20/21), 27S(11/24/27), 29(14), 31(6-7), 1S(32), 31S(31 and 36, *Argentisimulium*)  
*S. noelleri* 'B', 29(14), 31S(10/26)  
*S. noroense*, 22(6)  
*S. ochraceum*, 21(13/18-20), 26(2), 27S(14)  
*S. oligotuberculatum*, 23(9)  
*S. ornatum* s.l., 21(6-7), 23(5-17/12/15/22), 27(13), 27S(20-21/23/24/27/29), 29(3-4/10-12, 14-15), 31S(4/5/10/19/26/29), 31S(31 and 36, Odagmia)  
*S. ornatum* group, 23(23), 29(10-12), 31S(32)  
*S. oviceps*, 26(16)  
*S. oyapockense* s.l., 21(7), 23(6/8)  
*S. pandanophilum*, 25(13)  
*S. pangunaense*, 22(7)  
*S. paraequinum* (-a), 23(20), 31S(31, *Wilhelmia*)  
*S. paramorsitans*, 29(14), 31S(31/32/36)  
*S. parmatum*, 27S(10, *Boreosimulium*)  
*S. petricolum*, 23(13)  
*S. pitense*, 31S(17)  
*S. pontica* (-um), 31S(31, Odagmia)  
*S. posticatum*, 25(7), 27(5-14), 29(14), 31S(29/31/36)  
*S. pratora*, 31S(31 and 36, Odagmia)  
*S. promorsitans*, 31S(31)  
*S. pseudequinum* (-a), 21(6-7), 23(20/22), 25(7), 27S(11/19), 31S(31, *Wilhelmia*)  
*S. pseudequinum* ssp. *fluminicola*, 27S(20)  
*S. pusillum* (-a), 23(8), 29(2/14), 31S(32), 31S(30 and 36, *Schoenbaueria*)  
*S. quadratum*, 27S(10, *Boreosimulium*)  
*S. raastadi*, 31S(30, *Schoenbaueria*)  
*S. rasyani*, 23(10)  
*S. raunsimnae*, 22(6)  
*S. reginae*, 23(21)  
*S. reptans*, 23(7/13/23), 25(10-12), 27S(27), 29(3/14), 31S(5/6/19/27/31/36)  
*S. reptans* group, 27S(9/19/20)  
*S. roraimense*, 23(8)  
*S. rostratum*, 27S(24), 29(4/14), 31S(5/33)  
*S. rothfelsi*, 27S(10, *Boreosimulium*)  
*S. rotundatum* (-a), 29(12), 31S(31, Odagmia)  
*S. rubtzovi*, 29(12, 14), 31S(31),  
*S. rugglesi* 32(17)  
*S. ruficornis*, 23(22)  
*S. salopiensis*, 31S(31 and 36, *Wilhelmia*)

- S. sanctipauli*, 27S(13), 28(20)  
*S. sanctipauli*, 'Djodji' form, 21(11)  
*S. sanguineum*, 23(8)  
*S. schoutedeni*, 31(7)  
*S. schwetzi* (32(13)  
*S. securiforme* (-is), 31S(30 and 36, Eusimulium)  
*S. semushini*, 31S(36)  
*S. sericata* (= *erythrocephala*), 31S(36, *Boophthora*)  
*S. shevtshenkovae*, 31S(31 and 36)  
*S. silvaticum*, 27S(20)  
*S. silvestre* (-is), 29(10, 14), 31S(30, *Cnetha*)  
*S. simulans*, 31S(31)  
*S. sirbanum*, 21(11), 28(17-21)  
*S. soubrense*, 27S(13)  
*S. squamosum*, 21(11), 25(13), 27S(13/16), 28(18), 29(2), 31S(20)  
*S. squamosum* 'C', 28(18)  
*S. subexcisum* group, 27S(10, *Hellichia*)  
*S. suchomlinae*, 31S(30, *Schoenbaueria*)  
*S. subpusillum* (-a), 29(14), 31S(30, *Schoenbaueria*)  
*S. tahitiense*, 26(16)  
*S. taurica*, 31S(30, *Cnetha*)  
*S. tenerificum*, 23(22), 31S(7)  
*S. tertia*, 31S(36, *Wilhelmia*)  
*S. thyolense*, 23(10), 25(5), 31S(20)  
*S. transiens*, 29(14)  
*S. tricrenum*, 31S(17)  
*S. trifasciatum*, 27S(24/27), 31S(10)  
*S. truncatum*, 29(10, 14), 31S(31 and 36)  
*S. tsheburovae*, 29(14)  
*S. tuberosum*, 29(14), 31S(4/26/29), 31S(31 and 36, *Archesimulium*)  
*S. tumulosum*, 29(14), 31S(17)  
*S. turgaica*, 31S(31, *Wilhelmia*)  
*S. usovae*, 29(10-11, 14), 31S(17)  
*S. vargasi* 32(13)  
*S. variegatum* (-a), 23(7/12/20/23), 27S(7-8/23), 31S(4/5), 31S(31, *Odagmia*)  
*S. veltistshevi*, 31S(31 and 36, *Wilhelmia*)  
*S. velutinum*, 23(22), 27S(20), 29(10, 14), 31S(30, *Eusimulium*)  
*S. venustum*, 27(5-6, 13), 31S(31/33)  
*S. venustum* group, 31S(16)  
*S. verecundum*, 31S(31 and 36)  
*S. vernum* (-a) s.l., 21(6), 23(7/22), 29(14), 31S(5/32), 31S(30 and 36, *Cnetha*)  
*S. vernum* 'Dorset IIS-1', 29(14)  
*S. vernum* 'Knebworth' = s.str., 29(14), 31S(12-13)  
*S. vernum* group, 23(20/23), 31S(12/16), 32(3)  
*S. vittatum* IS-7, 27S(25)  
*S. voilense*, 27S(9), 31S(31)  
*S. volhynica*, 31S(30, *Nevermannia*)  
*S. vulgare*, 29(14), 31S(31, *Archesimulium*)  
*S. woodi*, 31(7-8)  
*S. yahense*, 21(9/11), 23(5), 28(20)  
*S. yahense* 'Bioko' form, 21(9), 31S(11/12)  
*S. yuleae*, 22(7)  
*S. zakharensis* 32(3)  
*S. zephyrus*, 27S(10, *Boreosimulium*)  
*Simulium* s.str., 31S(4/29/32/36)  
*Stegopterna*, 31S(14-15/34)  
*St. acra*, 31S(15)  
*St. asema*, 31S(14/17)  
*St. byrrangii*, 31S(14)  
*St. decafilis*, 31S(14)  
*St. dentata*, 31S(14)  
*St. diplomutata*, 31S(15)  
*St. duodecimata*, 31S(14)  
*St. emergens*, 31S(14-15)  
*St. haematophaga*, 31S(14)  
*St. hamuligera*, 31S(14)  
*St. longicoxa*, 31S(14)  
*St. majalis*, 31S(14)

St. mutata, 31S(15)	Taeniopterna, 27S(10)
St. nukabirana, 31S(15)	Tetisimulium, 31S(35)
St. permutata, 31S(15)	Trichodagmia, 31S(13)
St. trigonium, 29(14), 31S(14)	Twinnia, 23(24), 31S(28)
St. trigonium '2a', 29(14), 31S(30)	T. hydroides, 23(9), 31S(5/30)
St. tschukotensis, 31S(14-15)	Wilhelmia, 23(20/24), 25(7), 27S(9/12/17), 31S(28/32/34/36)
St. xantha, 31S(15)	Wilhelmiini, 31S(31/34)
Stegopternini, 31S(14/30)	
Striatosimulium, 31S(35)	
Sulcicnephia, 31S(28/34)	

### Index of Other Organism Names

Aedes (Diptera), 31S(20)	D. chrysotus, 27S(11)
Anopheles (Diptera), 31S(20)	D. discolor, 27S(11)
Anopheles faini, 32(9)	D. muelleri, 27S(11)
Anthomyiidae (Diptera), 23(15-16)	Dytiscidae (Coleoptera), 21(13)
Asilidae (Diptera), 23(16)	Empididae (Diptera), 21(8), 23(16), 27S(26- 27), 31S(25)
Astraptes fulgurator (Lepidoptera, skipper), 25(7)	Ephemeroptera (mayflies), 31(29)
Atrichopogon (Diptera), 32(17)	Ephydriidae (Diptera), 21(8), 23(16)
Batrachium (water-plant), 29(3)	Ficedula hypoleuca (bird, Pied Flycatcher), 31S(34)
Cardiocladius oliffi (Chironomidae), 27S(24)	Glyceria (water-plant), 29(3)
Carex spp. (sedges), 29(10)Qi2	Gyrinidae (Coleoptera), 21(13)
Chaoboridae (Diptera), 21(8), 23(16)	Gyrinus galapagoensis (Gyrinidae), 21(13)
Chironomidae (Diptera), 21(8), 23(16), 27S(24-25), 30(3)	Hemerodromiinae (Empididae), 21(8), 27S(27)
Chlamydia (bacterium), 31S(23)	Heteroptera, 23(15)
Coelomycidium simulii (Fungi), 31S(26)	Hybotidae (Diptera), 21(8), 23(16), 27S(26)
Coleoptera, 31S(29)	Hydrachnidia (water-mites), 23(22-23)
Copelatus galapagoensis (Dytiscidae), 21(13)	Isomermis (mermithid nematode), 31S(21)
Cryptothrix nebulicola (Trichoptera), 27S(11)	Janacekia debaisieuxi (microsporidian), 31S(26)
Culex pipiens (Culicidae), 27S(20)	Leucocytozoon (blood protozoan), 23(13), 31S(23/34), 32(17)
Culicidae (Diptera), 27S(11/26)	Limnophora (Muscidae), 21(8), 23(16), 31S(25)
Culicoides (Diptera), 27S(15), 30(3)	Lispe (Muscidae), 21(8), 23(16)
Diptera (blackfly predators), 23(15-16), 31S(25)	Mansonella (filarial nematode), 31S(23)
Dirofilaria (filarial nematode), 31S(23)	
Dolichopodidae (Diptera), 21(8), 23(16), 27S(26), 31S(25)	
Drusus (Trichoptera), 27S(11)	

- |   |  |
|---|--|
| Mermithidae (Nematoda), 31S(26)                                   | Ranunculus fluitans (water crowfoot),<br>27S(18)                 |
| Mermis (nematode), 31S(21)  | Scathophagidae (Diptera), 21(8), 23(16)                          |
| Muscidae (Diptera), 21(8), 23(16), 27S(26-27)                     | Scenedesmus quadricauda (alga), 31S(18)                          |
| Onchocerca (filarial nematode), 23(14),<br>27S(13/15-16), 31S(23) | Sciomyzidae (Diptera), 23(15)                                    |
| O. dukei, 27S(13)   | Smittium culisetae (Trichomycetes), 27S(26)                      |
| O. ochengi, 23(14), 27S(13/16)                                    | Sperchon cf. setiger (water-mite), 23(22-23)                     |
| O. volvulus, 23(14), 27S(13/14/16/20)                             | Spirogyra (filamentous alga, Tahiti), 26(16)                     |
| O. sp. 'Siisa', 27S(13)   | Tabanidae (Diptera), 30(3)                                       |
| Ornithodoros moubata (Acari), 32(9)                               | Toxorhynchites (Diptera), 32(17)                                 |
| Papilo zalmoxis (Lepidoptera), 32(9)                              | Trichomycetes (fungi), 27S(26)                                   |
| Phoridae (Diptera), 21(8), 23(16)                                 | Trichoptera (caddisflies), 21(8), 23(15),<br>27S(11/26), 31S(25) |
| Plecoptera (stone-flies), 31S(29)                                 | Trypanosoma (Protozoa), 31S(23)                                  |
| Polydispyrenia simulii (microsporidian),<br>31S(26)               | Wolbachia (bacterium), 31S(21)                                   |
| Potamogeton (water-plant), 29(3)                                  | Xenomyia (Muscidae), 31S(25)                                     |

### Contributor Index

- |   |  |
|---|--|
| Abaga, S., 31S(11)  | Cadlar (Caglar), S.S. (Selim/Selym),<br>27S(16), 31S(17)                             |
| Achu-Kwi, D. (Daniel), 27S(15-16)   | Car, M. (Manfred), 23(4), 27S(5/10-11),<br>31S(4-5)                                  |
| Adler, P.H. (Peter), 23(2-3/19-20/21),<br>27S(6/21/28-29), 29(9-15), 31S(4/16/26),<br>32(3-5) | Chasiliquin, N. (Nancy), 21(13-14)   |
| Aké, A., 31S(12)  | Cheke, R.A. (Bob), 21(10-12), 23(5),<br>31S(11/12)                                   |
| Amazigo, U.V., 31S(12)  | Chubareva, L. (Lidia), 23(23-24), 31S(28)  |
| Anbalagan, S. (Sankarappan), 31S(29)  | Colbourne, J. (John), 31S(20-21)   |
| Baker, E. (Edward), 29(7)   | Cortez, J. (José), 23(6)   |
| Barro, T., 31S(12)  | Coscarón-Arias, C. (Cecilia), 21(13-14)  |
| Barthelmess, C. (Claus), 27S(27)  | Coulibaly, S., 31S(12)   |
| Basáñez, M.-G. (Maria-Gloria), 21(10-12/14-18),<br>23(6), 25(15)                              | Craig, D. (Doug), 26(12-21)  |
| Bass, J.A.B. (Jon), 25(9-13), 27(5-14)  | Crainey, J.L. (James), 29(2), 31S(21)  |
| Bauziené, V. (Vilma), 23(18), 31S(22-23)  | Crosskey, M.E. (Peggy), 30(10-13)  |
| Berotiene, R. (Rasa), 23(3/18), 27S(24),<br>29(2-4), 31S(27)                                  | Crosskey, R.W. (Roger), 21(3-5), 22(6-8),<br>27(5-14), 27S(6), 31(5-8/8-10)          |
| Boakye, D. (Daniel), 27S(24-25)   | Cupina, A.I. (Aleksandra), 21(6-7), 23(5-6),<br>27(1-2), 27S(16-17/21-22/29), 31S(9) |
| Brockhouse, C. (Charles), 24(6-7), 27(3-4),<br>31S(20-21)                                     |  |
| Brown, C. (Charles), 27S(24-25)   |  |
| Buda, V. (Vincas), 23(18), 31S(22-23)   |  |

- Davies, J.B. (John), 21(7), 23(19), 24(2-5), 26(2-3/3-12), 27S(6), 28(11-16), 29(6-7), 30(2-5/10-13), 31(1/3-4/5-8)
- Day, J.C. (John), 25(6-8), 27S(11-12)
- Deák, C. (Csaba), 31S(26)
- Deschle, W.E. (Walter), 27S(27)
- Diallo, A., 31S(12)
- Dinakaran, S. (Sundaram), 31S(29)
- Dügel, M. (Muzaffer), 27S(17-18), 31S(30)
- Dusinsky, R. (Roman), 23(12)
- Ekale, D. (David), 27S(15-16)
- Elsen, P. (Pierre), 32(5-10)
- Ertunc, Ö. (Özge), 31S(30)
- Fokam, E. (Eric), 27S(24-25)
- Frontado, H. (Hortencia), 23(6)
- Fuchs, D. (Dale), 28(22)
- Fusco, R.A. (Robert), 31S(6/18/19)
- Geenan, P. (Petra), 23(5)
- Gerecke, R. (Reinhard), 23(22-23)
- Grabovac, S. (Sonja), 21(6-7), 23(5-6), 27S(16-17)
- Gray, E.W. (Elmer), 27S(25/27-28/28-29), 31S(18)
- Grillet, M.-E. (María-Eugenia), 23(6)
- Halgos, J. (Josef), 23(7), 27S(22-23), 31S(5)
- Hall, A. (Alan), 31S(23-24)
- Harutyunova, K.V. (Karina), 23(19-20/21)
- Harutyunova, M.V. (Maria), 23(19-20/21)
- Hernandez Triana, L. (Luis), 21(7), 23(8), 27S(6-7), 29(7), 31S(13)
- Hobololo, V.I. (Vuyisile), 31S(23-24)
- Hunter, S.J. (Stephanie), 25(6-8)
- Illésóva, D. (Daniela), 27S(22-23), 31S(5)
- Ilmonen, J. (Jari), 23(8-9), 27S(12), 29(9-15), 31S(29)
- Ipekdal (Ypekdal), K. (Kahraman), 27S(16), 31S(17)
- Jedlicka, L. (Ladislav), 23(9-10), 27S(8-9/9)
- Kachvoryan, E. (Eugenie), 23(2-3/19-20/21)
- Kalinga, A. (Akili), 31S(20)
- Kaplich, V. (Valery), 31S(34-35)
- Kazanci, N. (Nilgün), 27S(17-18), 31S(30)
- Kelly-Quinn, M. (Mary), 21(20-21)
- Kiel, E. (Ellen), 23(23)
- Konjevic, A. (Aleksandra), 21(6-7), 23(5-6), 27S(21-22/29), 31S(6)
- Kotter, H. (Heiko), 31S(6)
- Krno, I. (Ilja), 27S(22-23), 31S(5)
- Krueger, A. (Andreas), 23(10), 25(5-6/13-15), 27S(13), 31S(20)
- Kúdela, M. (Matus), 23(7/11/12), 27S(7-8), 31S(17)
- Kuusela, K.K. (Kalevi), 31S(16-17)
- Lautenschläger, M. (Melanie), 23(23)
- Lechthaler, W. (Wolfgang), 23(4), 31S(4-5)
- Little, K.E. (Kirsty), 21(10-12)
- Little, M.P. (Mark), 21(10-12)
- Lizarazo-Ortega, C., 27S(14-15)
- Lugo-Rodríguez, L. (Liz), 27S(14-15)
- Luna Dias, A.P. (Paulino), 23(8), 27S(6-7)
- Maegga, B.T.A. (Bertha), 23(10), 31S(20)
- Mahaut, T. (Thierry), 27S(18-19)
- Maia-Herzog, M. (Marilsa), 23(8), 27S(6-7)
- Malmqvist, B. (Bjorn), 23(2-3/12-13), 31S(16/34)
- Marinkovic, D. (Dusan), 23(5-6), 27S(21-22/29), 31S(6)
- Markovic, I. (Ivan), 27S(29)
- Marshall, C. (Clare), 21(14-18)
- Martin, P. (Peter), 23(22-23)
- Mas, J. (Jordi), 23(5), 31S(11/12)
- McCall, P.J. (Philip), 21(18-20), 31S(12)
- McCreadie, J.W. (John), 27S(21/26), 31S(26)
- Meyer, R., 31S(11/12)
- Mustapha, M. (Mabintu), 21(9-10), 23(10/13)
- Noblet, R. (Ray), 27S(25/27-28/28-29), 31S(18)
- Noma, M., 31S(11/12)
- Onyenwe, E., 28(17-21)
- Overmyer, J. (Jay), 27S(25/27-28), 31S(18)
- Panchenko, A. (Alfred), 31S(30-31)

- Petric, D. (Dusan), 21(6-7), 23(5-6), 27S(16-17/21-22/29), 31S(6)
- Petrova, N. (Ninel), 23(23-24), 31S(28)
- Petrozhitskaya, L. (Ludmila), 31S(18/31-32)
- Pichler, M. (Markus), 31S(32)
- Pont, A. (Adrian), 21(7-9), 23(5-6/15-16), 31S(25)
- Post, R. (Rory), 21(9-10), 23(10/13), 25(6-8), 27S(11-12/26-27), 28(17-21), 29(2), 31S(12/20/20-21/21)
- Pu, E. (Esmea), 31S(10)
- Raastad, J.E. (Jan), 23(13-14), 31S(16)
- Rebuck, D. (Dave), 31S(19)
- Reidelbach, J. (Joachim), 23(22)
- Renier, A.M. (Antoine), 27S(18-19)
- Renz, A. (Alfons), 23(14-15/22-23), 27S(15-16)
- Reva, M. (Marina), 31S(35-36)
- Rodkina, V. (Vera), 31S(18/31-32)
- Rodriguez-Pérez, M.A. (Mario), 21(18-20), 27S(14-15)
- Rogg, H. (Helmuth), 21(13-14)
- Scheder, C. (Christian), 31S(32)
- Seitz, G. (Gunther), 23(24-25)
- Séketeli, A.V.A., 31S(11)
- Sevilla, C. (Christian), 21(13-14)
- Shelley, T. [= A.J.] (Tony), 21(7), 23(8), 27S(6-7)
- Sima, A. (Anacleto), 23(5), 31S((11/12)
- Smith, S.M. (Stephen), 32(15-18)
- Somiari, S., 25(5-6)
- Spungis, V. (Voldemars), 31S(33)
- Stloukalová, V. (Viera), 23(12/15), 27S(9), 31S(7)
- Strasevicius, D. (Darius), 23(12-13), 31S(34)
- Sukhomlin, E. (Ekateryna), 31S(34-35)
- Swanson, D.A. (Dustin), 31S(16)
- Tele, B., 31S(11)
- Tierney, D. (Deirdre), 21(20-21)
- Tirados, I. (Inaki), 23(5)
- Torres, J. (Javier), 21(13-14)
- Traore, S., 31S(12)
- Trodd, W. (Wayne), 21(20-21)
- Ubachukwu, P.O., 28(17-21)
- Unnasch, T.R. (Thomas), 27S(14-15)
- Ussova, Z. (Zinaida), 31S(16-17/34-35/35)
- Valdivieso-López, N.L. (Norma), 21(18-20)
- Van der Merwe, C. (Chris), 31S(23-24)
- Villamizar, N.J. (Nestor), 23(6)
- Vojvodic, S. (Svjetlana), 27S(26)
- Vujanovic, L. (Ljuba), 27S/21-22)
- Wegner, E. (Elzbieta), 31S(10)
- Wahl, G. (Goetz), 27S(15-16)
- Wegner, E. (Elzbieta), 27S(30)
- Werner, D. (Doreen), 21(7-9), 23(2-3/15-16/19-20/21), 25(9-13), 27(5-14), 27S(23-24/26-27), 31S(9/19/25), 32(3-5)
- Wetten, S. (Sally), 21(14-18)
- Wilson, M.D. (Michael), 23(5), 27S(24-25), 29(2), 31S(11/12/21)
- Wotton, R. (Roger), 23(16-17), 31S(21-22)
- Yameogo, L., 31S(12)
- Yankovsky, A. (Aleksey), 23(17), 27S(10), 31S(14-15)
- Zgomba, M. (Mariga), 21(6-7), 23(5-6), 27S(16-17/21-22/29), 31S(6)
- Zinchenko, O. (Olexandr), 31S(34-35)
- Zygutien, M. (Milda), 31S(27)