

Index to the British Simuliid Group Bulletins

Nos. 1 to 20 (1992-2003)

Compiled by M.E. and R.W.Croskey

[The Index may be separated from the Bulletin by loosening
the staples between pages *vii* and *viii*]

Index to the British Simuliid Group Bulletins Nos. 1 to 20 (1992-2003)

The information contained in the first 20 issues of the B.S.G. Bulletin, published between May 1992 and June 2003, is presented in this index in four sub-set indexes, according to the topic (subject matter), the scientific names of Simuliidae, the scientific names of other organisms, and the names of contributing authors. For each entry the issue numbers are given first, followed by the relevant page(s) in parentheses; where the same indexed item occurs in separate articles within an issue the page references are separated by a slash (/). References to 'onchocerciasis' *per se* pertain to the disease in humans. The titles/authors of talks and posters given at B.S.G. and other meetings but never supplied as full text for publication have been disregarded, left unindexed because of lack of content. In the contributor index each author's name is accompanied by full initials even if not all initials are provided in the article heading; when known the author's usual or preferred full forename is given in parentheses.

Contents

Topics.....*i* Scientific Names.....*vi* Other Organism Names... *ix* Contributors.....*x*

Topic Index

- Abate [commercial name]: see Temephos
- Abnormality, morphological
 male genitalia, 15 (18-19)
 spermathecae, 14 (7-9)
- Afghanistan, Hindu Kush (in Travellers' Tales), 7 (9)
- Age-grading
 ovarian, 4 (9-12)
 pteridine concentration in, 2 (3)
- Aggregations, larval, 3 (28)
- Amazonia, blackfly biting (in Travellers' Tales), 20(6-7)
- Amazonia, onchocerciasis in, 10 (10-12), 12 (9-10/14-15), 15 (8-10/11-14), 18 (13-15/19-21)
- Amber, blackflies in, 6 (5-8)
- Anaphylactic shock, from blackfly bites, 18 (4-6)
- Andes, blackflies in southern, 8 (9/11)
- Andorra, autumnal blackflies, 12 (7)
- Annual Transmission Potential (ATP), 4 (7/14), 15 (6/11-13)
- Anthropophily
 in Fiji
 in Marquesas Islands, 13 (9-13)
 in Vanuatu,
 Simulium damnosum, South Africa, 13 (16)
- Arabia, onchocerciasis in, 3 (5-6)
- Argentina, blackfly records, 8 (11-13)
- Autogeny, in Simulium damnosum, 13 (16)
- BBC, "The Witness was a [black]fly" programme, 4 (18-19)
- Beaucournu-Sagez, F., obituary, 16 (8-10)
- Beer, as Blandford fly antidote, 16 (12-13, with bottle labels)
- Bell, Gavin (in Travellers' Tales), 13 (9-11)
- Belize, blackfly survey, 19(3-4)
- BHC insecticide, use in Brazil, 9 (10)
- Bioacoustic behaviour, 12 (13)
- Bioengineering, demonstrated by blackfly larvae, 8 (5-7)
- Bioko (= Fernando Po)
 onchocerciasis in, 3 (13)
 Simulium damnosum eradication, 3 (13)
- Birchflies, in Scotland, 1 (2), 5 (5-6)
- Blandford fly (Simulium posticatum), 1 (5), 2 (17), 3 (14/23-27), 8 (2/7-8), 16 (8/12), 18 (5/9)
- Bloodmeal identification, 3 (14/23-27)
- Bothys, and blackflies, 5 (5)
- Botting, Douglas, 20(7)
- Brazil
 Amazonian fauna, 12 (12-13)
 BHC insecticide use, 9 (10)
 blackfly control, 9 (7-14)

- "borrachudo/pium" pest, 9 (7-10), 20(6-7)
 cytovariation in vectors, 6 (13-15)
 DDT insecticide use, 9 (7/10)
 Mazzotti test, use of, 10 (4)
 new onchocerciasis focus, 10 (3-4), 12 (3)
 onchocerciasis dispersal, 3 (10-11)
 onchocerciasis transmission, 3 (10-11), 6 (13-15),
 12 (3)
 Simulium perflavum larval food, 12 (11-12)
 vector survival, 12 (10-11)
- Britain, blackflies in
 anaphylactic shock from bites, 18 (4-6)
 aquatic habitats, 3 (17-22)
 collecting, 10 (2)
 distribution mapping, 10 (2)
 distribution recording form, 14 (unnumbered end
 page)
 Dmap record plotting, 15 (5)
 Dorset, in River Stour, 2 (17), 3 (14), 8 (7-8)
 epithet meanings, 12 (15-19)
 Kent, recovery after drought, 6 (16-17)
 Oxfordshire, Blandford fly in, 3 (14/24), 8 (2)
 species name changes, 7 (6)
 'Stonesfield Stinger' (*Simulium posticatum*), 3 (24)
 'Woodstock fly' (*Simulium posticatum*), 3 (24)
- Bryson, Bill (in Travellers' Tales), 11 (12-13)
 BtH14: see Bti
 Bti larvicide (*Bacillus thuringiensis israelensis*), 2 (17),
 4 (21), 8 (8), 9 (7-11), 17 (17)
- Bulletins, of B.S.G., superseding Newsletters, 1 (1)
 availability in electronic format, 19(9)
- Cameroon, 4 (14-15)
 onchocerciasis modelling, 18 (11-13)
 onchocerciasis transmission, 8 (8)
 Simulium damnosum and Onchocerca immunity,
 8 (8)
- Canary Islands
 blackfly name correction, 6 (18)
 Fuerteventura, first blackfly record, 8 (13)
- Cattle, Onchocerca parasites of, 2 (3-4/15), 4 (14), 8 (8)
- CD Rom:
 Key to European blackflies, 19(4-6)
 Newsletters and Bulletins on 19(10), 20(2)
- Channel Islands, additional blackfly species, 6 (19-20)
- Checklists, simuliid
 Morocco, 17 (10-16)
 Netherlands, 18 (7-10)
 Portugal, 3 (13-14)
 Mermithids described from simuliid hosts, 19(13-26)
- Cheesman, Evelyn (in Travellers' Tales), 13 (11-12)
- Chile
 blackfly records from, 8 (11-13)
 onchocerciasis symposium in, 6 (20)
- Chromosomes
 of *Onchocerca* spp., 2 (4)
 of *Simulium damnosum*, 3 (8-9)
 of *Simulium exiguum*, 3 (2)
 of *Simulium guianense*, 6 (13-15)
- Cibarial armature, 4 (4-6), 15 (6-8), 18 (17)
 microfilariae, damage to, 4 (4-6), 12 (10), 15 (9)
 modelling onchocerciasis factor, 10 (5-6), 15 (6-8)
- Cladistics, of subgenera, 12 (5)
- Computer models, see Onchocerciasis, modelling of.
- Control, of blackflies
 aerial, 6 (10-11)
 "borrachudo/pium" in Brazil, 9 (7-10)
 GPS satellite navigation use, 6 (11)
 hydrological surveillance in, 6 (11)
 in Malawi, 4 (16-17)
 in USA, 13 (7)
 larval spray system, 6 (11)
 larvicides in OCP, 6 (11)
 onchocerciasis vectors, 6 (10-11)
 Simulium damnosum, in Bioko, 3 (13), in OCP,
 6 (10-11)
 vegetation management in, 4 (16-17, Malawi),
 9 (11, Brazil)
- Crabs, in phoretic associations, 2 (5-6), 3 (11-12), 8 (5),
 12 (3)
- Cuticular hydrocarbons, 2 (15-16)
- Cytology: see chromosomes
- Cytotaxonomy: see chromosomes
- DDT insecticide, use in Brazil, 9 (7-10)
- Database of photographs of simuliid morphology, 19(6)
- Death notifications
 Kershaw, W. E., 11 (19)
 Rubtsov, I. A., 6 (19)
 Timm, T., 11 (19)
- Deforestation, effects on *Simulium damnosum*, 4 (4),
 12 (4), 14 (2)
- De Meillon, B., obituary, 17 (2-5)
- Denmark, blackfly genera/subgenera in, 12 (6)
- Digitized imaging, flow patterns, 13 (17)
- Discovery Channel (TV programme), 4 (22-23)
- Distribution
 Causes of plasticity in, 14 (3-4)
 Collecting for mapping, Britain, 10 (2)
 Dmap plotting programme, 15 (5)
 record form, Britain, 14 (unnumbered end page)
 Simuliids in Britain, map, 9 (II-III insert)
 Simulium damnosum, southern Africa, with map, 14
 (10-13)
- Dmap, record plotting programme, 15 (5)

- DNA, PCR test for, *Onchocerca volvulus*, 11 (11-12)
- Drought, recovery after, in Kent, 6 (16-17)
- Durrell, Gerald (in Travellers' Tales), 7 (8-9)
- Earthquakes, and Golubatz fly, 14 (15-17)
- Ecuador
 cytology, *Simulium exiguum*, 2 (11-12), 3 (2)
 onchocerciasis in, 2 (11-12), 18 (17-19)
 vector biting/infection rates, 18 (17-19)
- Egg-sac relics, 4 (9-12)
- Electronic News List, 4 (17-18)
- Electrophoresis, of isoenzymes, 2 (4-5)
- ELISA tests, 3 (14/23-27)
- Epithets, meanings in British blackflies, 12 (15-19)
- Europe, W. & Central, digital key to larvae & pupae, 19(4-6)
- Fairhurst, C., obituary, 5 (2)
- Fecundity, blackflies infected with *Onchocerca*, 3 (3)
- Fennoscandia, blackfly genera/subgenera in, 12 (6)
- Fiji, anthropophily in, 13 (11)
- Flow patterns, around blackfly larvae, 13 (17)
- Forest habitat, *Simulium damnosum*, 2 (9), 4 (14), 12 (3-4)
- Fossil blackflies
 amber, 6 (5-7)
 Jurassic, 2 (8)
- Fungal infections: see Trichomycetes
- Galapagos Islands, simuliids recorded, 4 (21-22)
- Gas chromatography, 2 (15), 4 (8)
- Gene expression, in *Onchocerca* larvae, 2 (8-9)
- Gene flow, in *Simulium damnosum* s.l. 18 (15-16)
- Ghana, *Simulium damnosum* s.l. environment, 2 (9), 12 (4-5)
- Golubatz fly (*Simulium colombaschense*), 14 (15-17)
- Gonotrophic cycle, *Simulium damnosum*, 3 (8)
- GPS satellite navigation, 6 (11)
- Guatemala
 isoenzymes, *Simulium ochraceum*, 14 (5-6)
 ivermectin use, 10 (6/12-14), 11 (7-12)
 onchocerciasis elimination, 6 (11-12), 11 (7-12)
 onchocerciasis in, 10 (13/14-15), 14 (5-6)
 onchocerciasis transmission, 10 (6), 11 (7-12)
- Guinea, *Simulium soubrense* and migration, 1 (6)
- Guyana, *Kabowra* flies in, 7 (8-9)
- Habitat preferences, larval, 3 (17-22)
- Haemocytes, cytotoxic, 16 (1-2)
- Haemolymph
 analysis, 10 (7)
 lectins in, 1 (6-7), 10 (7)
 protease activity in, 3 (3)
- Helicopter, choice of for OCP, 6 (11)
- Historical items
 blackfly description history, 15 (3-5)
- NE-118 project, 17 (16-20)
- OCP early years, 17 (4)
- Honeydew, as blackfly food, 13 (15)
- Humboldt, Alexander von, in Venezuela, 20(7-10)
- Hungary, Golubatz (= Kolumbács) fly, 14 (15-17)
- Hybridization, *Simulium damnosum* s.l., 18 (15-16)
- Hydrological surveillance, by satellite, 6 (11)
- Identification, blackfly
 bloodmeal, 3 (23-27)
 cytospesies in OCP, 2 (5)
 ELISA tests, 3 (14/23-27)
 isoenzymes, 2 (4-5), 14 (5-6)
 morphometrics, 3 (13), 12 (7-8)
 Netherlands fauna, 18 (7-10)
- Ilyina, Anna, obituary, 18 (22-23)
- Image analysis, use in blackfly taxonomy, 8 (10-11), 19(4-6)
- Immune system: see Immunity
- Immunity,
 lysozyme in, 4 (13)
 peptides and proteins in, 4 (13)
 to *Onchocerca*, British *Simulium*, 2 (14)
 to *Onchocerca*, *Simulium damnosum*, 2 (15), 10 (7), 14 (4-5), 16 (1-2)
- International Code of Zoological Nomenclature (new edition), 14 (14-15)
- Internet
 B. S. G. Bulletins on, 13 (17)
 blackflies on World Wide Web, 7 (7), 14 (17), 16 (11)
- Invasions, by *Simulium damnosum* s.l., 2 (9)
- Invitation effect, in bloodfeeding, 11 (3-4)
- Iridescent viruses, 2 (17-18), 3 (6-7)
- Isoenzymes, in blackfly identification, 2 (4-5), 14 (5-6)
- Italy, blackflies troubling humans, 13 (18-19)
- Ivermectin, duration of treatment, 19(6-8)
- Ivermectin, use
 in Guatemala, 10 (14-15), 11 (7-12)
 in Mexico, 10 (6/12-14)
 in OCP operations, 6 (11)
 in Sierra Leone, 3 (7-8)
 in Uganda, 3 (4), 8 (3-5)
 in Venezuela, 12 (10-11/14-15), 15 (8-10)
- Jejenes, 20(8)
- Kabowra* flies, 7 (8-9)
- Kennedy, W. R. (in Travellers' Tales), 11 (13-14)
- Kenya, *Simulium neavei* group status, 2 (5-6)
- Kershaw, W. E., obituary, 11 (1)
- Key, digital, to European blackfly larvae & pupae, 19(4-6)
- Kingsbury Water Park, simuliid biting in, 18 (4-6)
- Laird, Marshall (in Travellers' Tales), 11 (13), 12 (19-

- 22)
- Lake outlet habitat, 3 (28)
- Larval blackflies
- aggregations, 3 (28)
 - filtering and food, 2 (16)
 - flow patterns around, 13 (17)
 - lake outlet habitat, 3 (28)
 - microalgae in diet, 12 (11-12)
- Larviciding, against *Simulium damnosum* s.l., Malawi, 4 (16-17)
- Lectins, in haemolymph, 1 (6-7), 10 (7)
- Libraries, holding B. S. G. Bulletins, 7 (17-18)
- Malawi
- crab carriers of blackflies, 12 (3)
 - onchocerciasis focus, 12 (3)
 - vector control, 4 (16-17)
- Marquesas Islands, anthropophily in 13 (9-13)
- Mazzotti test, use in Brazil, 10 (4)
- Mectizan [commercial name]: see ivermectin
- Meeting Reports
- B. S. G. (annual accounts/contributions)
 - 10th (1987, River Laboratory, Dorset), 1 (1-7)
 - 11th (1988, Salford University), 2 (2-6)
 - 12th (1989, Liverpool School of Tropical Medicine), 2 (7-10)
 - 13th (1990, Natural History Museum, London), 2 (11-13)
 - 14th (1990, Portsmouth Polytechnic, now University), 2 (14-19)
 - 15th (1992, Keele University), 3 (2)
 - 16th (1993, Natural History Museum, London), 3 (10-28)
 - 17th (1993, Liverpool School of Tropical Medicine), 4 (3-17)
 - 18th (1995, Birmingham University), 6 (2-17)
 - 19th (1996, Monks Wood Experimental Station), 8 (1-11)
 - 20th (1997, Natural History Museum, London), 10 (1-15)
 - 21st (1998, Oxford University), 12 (1-15)
 - 22nd (1999, Liverpool School of Tropical Medicine), 14 (1-6)
 - 23rd (2000, Salford University), 15 (1-14)
 - 24th (2001, Birmingham University), 18 (2-21)
 - 24th (sic.) (2001, Center for Hydrology & Ecology, Dorset), 19(6-10)
 - Summary list with venues 1979-1997, 11 (17-18)
 - International blackfly meeting, proposal, 12 (23)
 - Latin American Federation of Parasitologists
 - 12th Meeting, Santiago, Chile (1995), 6 (20)
 - Northeast Regional Project NE-118 (USA)
 - NE-118 (1995, Arizona), 5 (3-5)
 - NE-118 (1996, Florida), 7 (2-4, programme only)
 - NE-118 (1998, Florida), 10 (16, announcement only)
 - NE-118, History 1978-1996 (last meeting), 17 (16-20)
 - NE-118, Locations of Meetings 1978-1996, 17 (19-20)
 - Other North American annual blackfly meetings
 - SREA-IEG (1998, Florida), 11 (15-16)
 - SERA-IEG (1999, Florida), 13 (6-9)
 - SERA-IEG (2001, Florida), 17 (5-6)
 - SERA-IEG (2002, Florida), 19 (11-12)
 - Sweden (1998, Umea University), Blackfly workshop report, 13 (4-6)
- Membership of B. S. G.
- addresses (at 31 May 1996), 7 (10-17)
 - address changes, 8 (17), 9 (15), 10 (20), 11 (19), 12 (23), 13 (20), 14 (18), 15 (20), 16 (16), 8 (24), 19(27), 20(10)
 - geographical distribution, 16 (16)
 - members list (at 31 May 1996), 7 (10-17)
 - new members, 8 (18), 9 (15), 10 (20), 11 (19), 12 (24), 13 (20), 14 (18), 15 (20), 16 (16), 18 (23-24)
 - 19(27), 20(10)
- Mermithidae: list of species described from blackflies, 19(13-26)
- Microfilariae, *Onchocerca* spp.
- damage by cibarial armature, 4 (4-6/6-7)
 - density, 4 (6)
 - development, 1 (6), 2 (3)
 - injection into simuliids, 2 (3), 3 (3), 8 (8)
 - nuclei when intra-uterine, 2 (4)
 - onchocerciasis modelling role, 10 (5)
 - survival, 2 (3), 14 (4-5)
 - uptake by vector, 4 (6), 11 (7-12)m 12 (10-11)
- Migration
- Simulium damnosum* a.l., 1 (6), 2 (9)
 - Simulium soubrense*, 1 (6)
- Mites: see watermites
- Mexico
- ivermectin use, 10 (12-14)
 - onchocerciasis transmission, 10 (12-14)
- Molecular systematics, *Simulium damnosum*, 18 (16-17)
- Morocco, blackflies in
- checklist, 17 (10-16)
 - new Rif distribution records, 17 (10-16)
 - new species records, 15 (15-18), 17 (7-10)
- Morphometrics, in *Simulium damnosum* taxonomy, 3 (13)
- Moss, S.T., obituary, 19(1-2)

- Muirhead-Thomson, obituary 18 (21-22)
 NE118 project: see Meetings
 Newby, Eric (in Travellers' Tales), 7 (9)
 Netherlands, blackfly checklist, 18 (7-10)
 Newfoundland, anthropophily, 11 (13-14)
 Newsletters of BSG (1979-1987),
 indexes to, 9 (16-20)
 recorded in Zoological Record, 1 (7-10)
 superseded by Bulletin, 1 (1)
 Newman, Edward, Simulium quotation from, 16 (2-7)
 New Zealand, 'Namu' pest (Austrosimulium), 12 (19-22)
 Nigeria, vector cytospecies identifications, 3 (8-9)
 No-no (nau-nau) Simulium buissoni, 13 (9-13)
 North Africa, simuliids new for, 15 (15-18)
 North America (in Travellers' Tales), 11 (12-14)
 Nuclei number, in microfilaria/L3 of Onchocerca
 volvulus
 Obituaries
 Beaucourmu-Saguez, F., 16 (8-10)
 Clergue-Gazeau, M., memorial note, 20 (3)
 De Meillon, B., 17 (2-5)
 Fairhurst, C., 5 (2)
 Kershaw, W. E. 11 (1)
 Ilyina, A., 18 (22-23)
 Moss, S.T., 19(1-2)
 Muirhead-Thomson, R. C., 18 (21-22)
 Rubtsov, I. A., 9 (2-6)
 OCP (Onchocerciasis Control Programme, West Africa)
 cytospecies identification, 2 (5)
 early history, 17 (4)
 environmental monitoring, 2 (2)
 helicopter choice, 6 (11)
 larviciding, harmless to fish, 2 (2)
 vector control, advances in, 6 (10-11)
 Onchocerciasis
 entries pertaining to:
 Amazonia, 10 (10-12), 12 (9-10/14-15),
 15 (8-10/11-14), 18 (19-21), 19(6-8)
 Arabian peninsula, 3 (5-6)
 Bioko (Fernando Po), 3 (13)
 Brazil, 3 (10-11), 6 (10/13-15), 9 (7-10), 10 (3-4), 12
 (3) (see also Amazonia)
 Cameroon, 18 (11-13)
 Guatemala, 6 (11-12), 10 (14-15)
 Mexico, 10 (13)
 OCP area, 6 (10-11)
 Sierra Leone, 3 (7-8)
 Uganda, 3 (4/11-12), 10 (7-10)
 Venezuela, 10 (10-12), 12 (9-10/14-15),
 15 (8-10/11-14), 18 (19-21)
 West Africa, 19(6-8)
 Yemen, 3 (5-6)
 Zambia, 10 (18-19)
 epidemiology, various countries, 12 (2-5)
 Mazzotti test use, 10 (4)
 Mectizan control: see Ivermectin
 modelling of, 10 (5-6), 15 (6-8), 18 (11-13), 19(6-8)
 serodiagnostic test use, 10 (4)
 transmission, 4 (6-7/14-15), 8 (8), 10 (5), 12 (9-10),
 15 (9)
 vector control OCP, 6 (11)
 vectorial competence, Amazonia, 15 (8-10)
 Ovarian protein, 3 (3)
 Oviposition
 pheromone effects, 4 (8), 6 (7-9)
 Simulium damnosum s.l., 6 (7-9)
 Simulium erythrocephalum, 6 (8)
 Simulium posticatum, 1 (5)
 Pallas, Peter S. (in Travellers' Tales), 8 (14-17)
 Parasite
 surveys, sample size, 2 (19)
 mermithids, list of blackfly hosts of 19(23-25)
 Parity rates, Amazonian vectors, 18 (19-21)
 Patagonia, blackfly overview and records, 8 (9-10/11-
 13)
 PCR assay, in O. volvulus detection, 18 (13-15)
 Penguin, Leucocytozoon host, 12 (20)
 Peptides, in blackfly immunity, 4 (13)
 Peritrophic membrane, and Trichomyces, 1 (4)
 Peterson, Bobbie V. (in Travellers' Tales), 16 (13-15)
 Pheromones, in oviposition, 4 (8), 6 (7-9)
 Phoresis, with crabs, 3 (11-12), 8 (5), 12 (3)
 Phosphoglucosyltransferase (PGM) isoenzyme, 2 (4-5),
 14 (5-6)
 Photographs of larvae & pupae of European species,
 19 (6)
 Pium, 20(6)
 Plastron, simuliid pupal gill, 2 (12-13)
 Poem, on the blackfly, 4 (19-20)
 Population management: see Control
 Portugal, blackfly species list, 3 (13-14)
 Protease activity, watermite-induced, 3 (3-4)
 Proteins, in blackfly immunity, 4 (13)
 Predation, on blackfly larvae,
 by blackbird, 1 (7-8)
 by Muscidae, 1 (5)
 by sundew plants, 4 (22-23)
 by watermites, 3 (15-16)
 Prediction of outcome of control programmes, 19(6-9)
 Pteridine, in blackfly aging, 2 (3)
 Pupal gills
 as plastron, 2 (12-13)
 variability, 12 (7-8)
 Repellent, 'Ngaio' tree oil, 12 (21)

- River regulation, and *S. chutteri*, 1 (10-11)
- Rubtsov, I. A.
 and A. Ilyina, 18 (22-23)
 death notice, 6 (19)
 mermithid species in blackflies, 19(13-26)
 obituary, 9 (2-6)
- Russia, blackfly collection at St Petersburg, 11 (4-7), 18 (22-23)
- Sample size
 in parasite surveys, 2 (19)
 in vector surveys, 2 (19)
- Savanna habitat, *Simulium damnosum* s.l., 2 (9), 4 (14)
- Scotland
 birchflies, simuliid pests, 1 (2), 5 (5-6)
 blackflies in Speyside, 1 (2-3)
- Serine proteases, 16 (1-2)
- Serodiagnostic test, use in Brazil, 10 (4)
- Sierra Leone
 ivermectin use, 3 (7-8)
 onchocerciasis transmission, 3 (7-8)
 vector environment, 12 (3-4)
- Simpson, John, 20(6)
- South Africa
 river regulation and *Simulium chutteri*, 1 (10-11)
Simulium damnosum s.l. anthropophily, 13 (16)
Simulium damnosum s.l. distribution, 14 (10-14)
- Spain, autumnal blackflies in Pyrenees, 12 (7)
- Species, of blackflies
 historical description rate, 15 (3-5)
 number of, 15 (3-5)
- Spectrometry, for pteridine concentration, 2 (3)
- Spermathecae, multiple, 14 (7-9)
- 'Stonesfield Stinger' (*Simulium posticatum*), 3 (24)
- Sugar-feeding, 13 (15)
- Sundews, as blackfly predator, 4 (22-23)
- Synoptics [commercial name], image analysis system, 8 (10-11)
- Taxonomy, of blackflies
 cytological: see chromosomes
 image analysis in, 8 (10-11)
- Temephos, larvicide, 4 (17), 8 (5), 9 (8-10), 13 (12)
- Tepuis, Amazonian plateaux feature, 4 (22-23)
- Thailand, morphologically aberrant species, 14 (7-9)
- Tierra del Fuego, blackflies in
 new records, 8 (12)
 overview, 8 (9)
- Togo, *Simulium damnosum* s.l. environment, 2 (9)
- Travellers' Tales
 Appalachians (USA), 11 (12-13)
 Great balls of blackflies (Iceland), 16 (13-15)
 Horrors of Hatheu (Marquesas), 13 (9-13)
- Iceland (*Simulium vittatum*), 16 (13-15)
- Kabowra flies (Guyana), 7 (8-9)
- Namu (New Zealand), 12 (19-22)
- Newfoundland (Canada), 11 (13-14)
- Pallas and the Moshki (Russia), 8 (14-17)
- Pests of the Pushal (Afghanistan), 7 (9)
- Trehalase, isoenzyme, 2 (4-5), 14 (5-6)
- Trichomycete infections, 2 (16)
- Trichospores, of Harpellales, 1 (4)
- TUNEL, cell death detection system, 16 (1-2)
- Uganda
 crab carriers of blackflies, 3 (11-12), 8 (5)
 ivermectin use, 3 (4), 8 (3-5)
 onchocerciasis in, 3 (4/11-12), 8 (3-5)
 onchocerciasis transmission, 3 (4), 8 (3-5)
Simulium naevei in, 3 (4), 8 (3-5)
Simulium damnosum s.l. in, 3 (4/11-12), 10 (7-10)
 vector control, 8 (3-5)
- U.S.A.
 blackfly control, 13 (7)
 blackfly in court case, 4 (18-19)
 NE118 annual reports: see Meeting Reports
 SERA-IEG annual reports: see Meeting Reports
- Vanuatu, blackfly anthropophily in, 13 (11)
- Venezuela
 ivermectin use, 12 (10-11/14-15), 15 (8-10)
 onchocerciasis in, 10 (10-12), 12 (9-10/14-15),
 15 (8-10/11-14), 18 (13-15/19-21)
 onchocerciasis endemicity, 10 (10-12)
 vector biting activity, 12 (9-10), (in Travellers'
 Tales), 20 (7-10)
 vectorial competence, 15 (8-10)
 vector infection rates, pre-ivermectin use, 15 (11-14)
- Vernacular names, simuliids, 16 (10-11)
- Warthogs, *Onchocerca* in, 4 (14)
- Watermites
 adult infestation, 3 (3-4)
 inducing protease activity, 3 (3-4)
 predating on larvae, 3 (15-16)
- West Africa, reinvasions within, by *Simulium damnosum* s.l., 2 (9)
- 'Woodstock fly' (*Simulium posticatum*), 3 (24)
- World Wide Web, blackfly sites, 7 (7), 14 (17), 16 (11)
- Yanomami Amerindians, onchocerciasis in, 3 (10), 6 (10), 10 (11), 12 (9/14), 18 (14)
- Yemen, onchocerciasis in, 3 (5)
- Zambia, *Simulium damnosum* s.l. in, 10 (17-19)
- Zimbabwe, *Simulium damnosum* s.l. in, 10 (18)
- Zoological Record, Newsletters recorded, 1 (7-10)

Blackfly Scientific Names Index

- Anasolen, *Simulium* subgenus, 12 (5)
 Astoneomyia, *Parasimulium* subgenus, 13 (8)
 Austrosimulium, 6 (6), 12 (20)
 A. ungulatum, 12 (20)
 Boophthora, *Simulium* subgenus, 3 (14), 12 (6)
 Cerqueirellum, *Simulium* subgenus, 9 (11)
 Chirostilbia, *Simulium* subgenus, 9 (7)
 Cnephia, 12 (6)
 C. tredecimata (now *Metacnephia*), 7 (6)
 Cnesia, 8 (9)
 C. dissimilis, 8 (11)
 Crosskeyellum, *Simulium* subgenus, 17 (11)
 Crozetia, 16 (8)
 C. crozetensis, 16 (8)
 C. seguyi, 16 (8)
 Ectemnia, 4 (20), 13 (8)
 E. cerberus, 6 (6-7)
 Eusimulium, *Simulium* subgenus, 3 (14), 6 (18), 12 (6),
 13 (8), 16 (8), 17 (11)
 Freemannellum, *Simulium* subgenus, 12 (5)
 Gigantodax, 8 (9)
 G. antarcticus, 8 (11)
 G. brophyi, 8 (11)
 G. chilensis, 8 (11)
 G. fulvescens, 8 (11)
 G. igniculus, 8 (11)
 G. marginalis, 8 (11)
 G. rufescens, 8 (12)
 Greniera, 6 (6), 17 (10)
 G. fabri, 17 (10)
 Gnus, [former] *Simulium* subgenus, 12 (6)
 Hellichella, *Simulium* subgenus, 12 (6)
 Helodon, *Prosimulium* subgenus, 12 (6)
 Hemineccha, *Simulium* subgenus 19(4)
 Levitina freidbergi, 16 (8-10)
 Metacnephia, 3 (14), 12 (16), 17 (10)
 M. amphora, 7 (6), 12 (16)
 M. blanci, 3 (14), 17 (10)
 M. nuragica, 3 (14), 17 (11)
 Nevermannia, *Simulium* subgenus, 3 (14), 12 (6)
 Notolepria, *Simulium* subgenus, 6 (20), 9 (11)
 Obuchovia, *Simulium* subgenus, 3 (14), 15 (15-18), 17
 (11)
 Odagmia, [former] *Simulium* subgenus, 12 (6)
 Parabyssodon, [former] *Simulium* subgenus, 12 (6)
 Parasimulium, 13 (8)
 P. melanderi, 13 (8)
 Paraustrosimulium, 8 (9)
 P. anthracinum, 8 (12)
 Prosimulium, 2 (8), 3 (14), 15 (2), 12 (6/15-16)
 P. arvense (= *tomosvaryi*), 7 (6), 12 (16)
 P. faurei, 17 (11)
 P. hirtipes, 1 (2), 12 (16), 18 (8-9)
 P. inflatum (= *latimucro*), 7 (6), 12 (16)
 P. laamii, 17 (11)
 P. latimucro, 3 (14), 7 (6), 12 (16), 17 (11)
 P. rufipes, 17 (11)
 P. saltus, 13 (8)
 P. tomosvaryi, 3 (14), 7 (6), 12 (16), 17 (11)
 P. woodorum, 12 (15)
 Psaroniocompsa, *Simulium* subgenus, 9 (11), 10 (4)
 Psilopelmia, *Simulium* subgenus, 4 (20)
 Ptermaspatha, *Simulium* subgenus, 8 (9)
 Rubzovia, *Simulium* subgenus, 17 (11)
 Schoenbaueria, *Simulium* subgenus, 12 (6)
 Simulimima, 2 (8)
 S. grandis, 2 (8)
 Simulium (s.l.), 2 (4/14), 3 (3-4/5/6-7/15-16), 4 (4/6-
 7/14), 6 (5/10-11), 9 (7), 10 (5-6), 12 (3/5/9-
 10/14/15-16), 13 (8), 14 (4-5/15-17), 15 (5/18-
 19), 16 (1-2/3-7), 17 (3/10-12),
 18 (4-6)
 (s. str.), 6 (6), 12 (6), 14 (7)
 S. adersi, 1 (10), 10 (18)
 S. affine (now in *Greniera*), 6 (6)
 S. alcocki group, 10 (18)
 S. amazonicum group, 7 (9)
 S. angustipes, 3 (14), 5 (16), 6 (19), 12 (16), 17
 (11), 18 (9)
 S. angustitarse, 5 (7-17), 7 (6), 12 (16), 13 (18),
 17 (7-8/11), 18 (8/10)
 S. apenninicum, 12 (8)
 S. argyreatum, 3 (14), 7 (6), 12 (16)
 S. argyreatum (auct. = *noelleri*), 7 (6)
 S. armoricanum, 3 (14), 12 (16),
 S. atlasicum, 17 (12)
 S. aureum, 2 (3), 3 (14/21 [misidentified]), 12 (16),
 18 (9)
 S. aureum group, 5 (16), 6 (18), 7 (6), 16 (8)
 S. auricoma, 3 (14), 15 (15-18), 17 (11)
 S. austeni (= *posticatum*), 2 (17), 7 (6), 12 (17)
 S. baracome, 12 (8)
 S. bequaerti, 10 (18)
 S. berberum, 17 (12)
 S. bezzii, 12 (7), 17 (11)
 S. bipunctatum, 4 (22), 10 (11), 12 (9), 18 (17-19)
 S. blancasi group, 12 (5)
 S. bovis, 4 (14)
 S. brevicale (-is) (= *cryophilum*), 7 (6), 12 (16)
 S. brevidens, 17 (11)

- S. britannicum* (= *dentulosum*), 7 (6)
S. brunettii (= *equinum*), 12 (17)
S. buissoni, 13 (10-12)
S. cambriense (= *angustitarse*), 5 (17), 7 (6)
S. carthusiense, 12 (7), 17 (11)
S. caucasicum, 12 (8)
S. celticum (= *angustitarse*), 7 (6)
S. chutteri, 1 (10-11)
S. colomabaschense ('Golubtaz fly'), 14 (15-17)
S. costatum, 12 (16), 17 (11), 18 (9/10)
S. cryophilum, 3 (14), 7 (6), 12 (16), 17 (11), 18 (9/10)
S. damnosum s.l., 1 (3/6/7), 2 (2/3/9/15-16/19), 3 (3/4/5/8/12/13/21), 4 (6/8/14/16/22), 6 (7-9), 8 (8), 10 (7/7-10/12/17-19), 11 (3-4), 12 (3/4), 13 (9/16), 14 (2/4-5/10-14), 15 (6-8/13), 16 (1-2), 17 (4), 18 (11-13/13/15-16/16-17), 19(6-8)
S. damnosum s.str. 2 (3/9,15), 3 (8-9/13), 4 (14), 10 (5), 19(6-8)
S. damnosum 'Nkusi' form, 10 (8-9)
S. damnosum 'Nyamagasani' form, 10 (8-10)
S. damnosum 'Sanje group', 10 (9)
S. damnosum 'Sebwe' form, 10 (8-9)
S. damnosum 'Sogohi' form, 10 (8-9)
S. decorum, 8 (6)
S. dunfellense (as *dunfalense*, error), 12 (16), 18 (9)
S. egregium, 17 (11)
S. equinum, 1 (3), 2 (3/18), 3 (3/14/15), 4 (9/13), 5 (8), 12 (17), 17 (12), 18 (9), 19(3)
S. erythrocephalum, 1 (3), 2 (3/18), 3 (14), 4 (10), 5 (8/16), 6 (8), 12 (17), 13 (18), 14 (8)
S. escomeli, 6 (20), 18 (17)
S. exiguum, 2 (11), 3 (2/11), 6 (20), 9 (11), 10 (11), 12 (9), 18 (17-19), 15 (13)
S. flaveolum, 12 (8)
S. fragai, 14 (12)
S. frigidum, 12 (8)
S. galeratum (= *reptans*), 12 (18)
S. galloprovinciale, 15 (15-18), 17 (11)
S. ganalense, 19(4)
S. goeldii (as *goeldi*, error), 13 (8)
S. goinyi, 2 (6)
S. gracilipes, 17 (11)
S. griseicollae, 4 (14)
S. guianense, 3 (10-11), 4 (6/23), 6 (13-15), 7 (9), 9 (11), 10 (4/11-12), 12 (3/9-10/10/14), 15 (8-10/13), 18 (13-15/19-21)
S. guimari, 6 (18)
S. haematopotum, 7 (9), 19(4)
S. hargreavesi, 3 (5), 10 (18)
S. hibernale, 12 (8)
S. hightoni, 2 (5-6)
S. hispaniola, 3 (14)
S. horacioi, 3 (21)
S. ibericum, 3 (14)
S. ibleum, 17 (11)
S. importunum (now in *Greniera*), 6 (6)
S. impukane, 10 (8)
S. incrustatum, 3 (11), 9 (11), 10 (11-12), 12 (9-10/14), 15 (8-10/13), 18 (20-21)
S. intermedium, 3 (14), 7 (6), 12 (17), 17 (12), 18 (9-10)
S. jenningsi group, 4 (20)
S. jolyi, 13 (11)
S. juxtacrenobium, 7 (6), 12 (17), 18 (9)
S. kenyae, 4 (15)
S. kilibanum, 10 (8)
S. knidirii, 17 (11)
S. laciniatum, 13 (11)
S. lamachi, 17 (11)
S. latigonium (= *lundstromi*), 5 (7-17), 7 (6), 12 (17)
S. latinum (= *velutinum*), 3 (14), 12 (18)
S. latipes, 7 (6), 12 (17)
S. latipes (auct. = *vernum*), 7 (6)
S. latipollex, 18 (17)
S. leonense, 6 (7/9), 12 (14), 19(6-8)
S. lineatum, 3 (3/14), 5 (16), 7 (6), 12 (17), 18 (3/5/9-10)
S. llutense, 6 (20)
S. luadiense, 10 (18)
S. lundstromi, 5 (7-19), 7 (6), 12 (17), 17 (11), 18 (9)
S. machadoi, 18 (17)
S. marocanum, 15 (15), 17 (11)
S. medusaeforme, 10 (18)
S. mellah, 17 (11)
S. mengense, 4 (14), 18 (17)
S. metallicum, 15 (13), 19(4)
S. minusculum, 8 (11), 10 (4), 12 (3, as *minisculum*, error)
S. monticola, 3 (14), 12 (7), 15 (18-19)
S. monticola (auct. = *argyreatum*), 7 (6)
S. morsitans, 12 (17), 18 (9)
S. multistriatum group, 14 (7)
S. naturale, 3 (14), 12 (17)
S. neavei, 2 (6), 3 (4/11-12), 8 (3-5), 10 (8), 17 (3)
S. neavei group, 2 (5-6), 3 (11)
S. nemorale, 8 (12)
S. nigrimanum, 10 (4), 12 (3)
S. nigritarse, 1 (10), 10 (18)
S. nigrum, 4 (10)
S. nitidifrons (= *intermedium*), 3 (14), 7 (6), 12 (17),

- 18 (9-10)
S. noelleri, 1 (7), 3 (28), 4 (19), 6 (19), 7 (6), 8 (6), 12 (17), 18 (3/9)
S. ochraceum, 3 (21), 4 (4-5/6), 6 (11-12), 10 (5/12-14/14-15), 11 (7-12), 14 (5-6), 15 (6-8/13), 18 (13), 19(4/6-8)
S. oligocenicum, 6 (6)
S. oligotuberculatum, 12 (7)
S. ornatum, 1 (3/6), 2 (3/9/12/14/18), 3 (3/3-4/14), 4 (10), 5 (8/16), 6 (16/19), 12 (7/8/18), 13 (18), 17 (12), 18 (9)
S. oyapockense, 3 (10-11), 8 (11), 9 (11), 10 (11-12), 12 (10-11/14), 15 (8-10/13), 18 (20-21), 20(10)
S. pandanophilum, 18 (17)
S. paraequinum, 13 (18-19)
S. pamassum, 13 (8)
S. perflavum, 12 (11-12)
S. perflavum group, 13 (9)
S. pertinax, 9 (7/9)
S. petricolum, 17 (11)
S. pinhaoi, 3 (14)
S. posticatum ('Blandford fly'), 1 (5), 2 (17), 3 (14/23-27), 7 (6), 8 (7-8), 12 (18), 16 (8/12), 18 (5/9)
S. pratorum (= *ornatum*), 12 (8)
S. pseudequinum, 2 (18), 3 (14), 7 (6), 12 (18), 17 (12)
S. pseudoincrustatum, 12 (3)
S. pulchellum (now in *Greniera*), 6 (6)
S. quadrifila, 17 (12)
S. quadrivittatum, 18 (17-19)
S. rasyani, 3 (5), 18 (17)
S. reptans, 1 (2), 2 (3), 3 (14), 12 (18), 16 (2-7), 18 (9)
S. roraimense, 3 (10-11), 8 (11)
S. rostratum, 7 (6), 12 (18)
S. rotundatum, 12 (8)
S. ruficorne, 3 (5/14), 5 (16), 8 (13), 16 (8-10), 17 (11)
S. ruficorne group, 5 (9/16)
S. salopiense (= *lineatum*), 7 (6), 12 (17)
S. sanctipauli, 2 (9), 3 (13), 6 (9)
S. sanctipauli 'Djodji' form, 2 (3/9)
S. sericatum (= *erythrocephalum*), 12 (17)
S. sergenti, 3 (14), 17 (12)
S. sirbanum, 2 (3/9), 3 (8-9/13), 4 (14), 6 (9), 10 (5), 19(6-8)
S. soubrense, 1 (3/6), 3 (9)
S. soubrense 'B', 3 (7-8/9)
S. soubrense 'Beffa' form, 2 (3)
S. spinosum (= *trifasciatum*), 2 (12), 6 (19), 7 (6), 12 (18)
S. squamosum, 2 (3/5/15), 3 (9/13), 4 (14), 6 (9)
S. subexcisum (= *latipes*), 7 (6), 12 (17)
S. sublacustre (= *rostratum*), 7 (6), 12 (18)
S. subornatum (*noelleri*), 12 (17)
S. sudanense, 3 (9)
S. tenerificum, 6 (18)
S. toubkal, 17 (11)
S. trifasciatum, 2 (12, as *spinosum*), 6 (19), 7 (6), 12 (7/8/18), 15 (2), 17 (8-9/12), 18 (9)
S. tuberosum, 1 (2), 3 (14), 7 (6), 12 (18)
S. urbanum, 12 (18), 8 (9)
S. variegatum, 1 (2), 2 (3), 3 (7/14), 12 (18), 17 (12), 18 (3/5)
S. velutinum, 3 (14, as *latinum*), 5 (16), 7 (6), 12 (18), 16 (8), 17 (11)
S. venustum s.str., 11 (13)
S. veracruzianum, 19(4)
S. verecundum/venustum, 4 (10)
S. vernum s.l., 3 (14), 7 (6), 12 (7/18), 13 (15), 17 (11), 18 (9)
S. vittatum, 4 (9), 14 (8), 16 (13-15)
S. woodi, 10 (17), 12 (3)
S. xanthinum, 17 (12)
S. yahense, 1 (3/4), 2 (9/15), 3 (9/13), 6 (8/9)
S. yarzabali, 3 (10-11)
S. yemenense, 3 (5)
S. yerburyi (= *latipes*), 7 (6), 12 (17)
S. zetlandense (= *equinum*), 7 (6), 12 (17)
S. '6B1', 13 (8)
Stegopterna, 12 (6)
Stegopterna richteri (as *richterii*, error) (= *trigonium*), 18 (8-9)
Thyrsopelema, *Simulium* subgenus, 9 (11), 12 (5)
Trichodagnia, *Simulium* subgenus, 12 (5)
Wilhelmia, *Simulium* subgenus, 3 (14), 17 (12)
Xenosimulium, *Simulium* subgenus, 12 (5)

Index of Other Organism Names

Aedes (Culicidae)

- A. aegypti*, 3 (3), 11 (3)
A. cantans, 18 (5)

- A. cinereus*, 18 (15)
A. communis, 11 (3)
Arrhenatherum elatius (oat-grass), 18 (4)

- Austromermis namis* (Mermithidae), 19(14)
Bacillariophyta (algae), 12 (1-12)
Bacillus thuringiensis (Bti) (bacterium), 2 (17), 4 (21), 8 (8), 9 (7-11), 17 (17)
Brugia pahangi (filarial nematode), 1 (3)
Chloridovirus (virus), 3 (6)
Chlorophyta (algae), 12 (11-12)
Chrysops (Tabanidae), 18 (14)
Corvus frugilegus (rook, Corvidae), 5 (16)
Culex reptans (Culicidae), 8 (15)
Culicoides (biting midges), 7 (9)
 Culicoides impunctatus, 11 (3)
Cyanophyta, 12 (11)
Deschampsia cespitosa (tussock grass), 18 (14)
Ditremamermis spp. (Mermithidae), 19(14)
Drosera (as *Drosera*, error, sundews, Droseraceae), 4 (23)
Drosophila (fruit-fly), 2 (14)
Escherichia coli (bacterium, as *Escherichia*, error), 4 (13)
Euglenophyta (algae), 12 (11)
Galleria mellonella (wax moth, Pyralidae), 2 (17-18), 3 (6-7)
Gammarus pulex (crustacean), 6 (17)
Gastromermis spp. (Mermithidae), 19(14-17/26)
Glyceria fluitans (manna grass), 5 (16)
Haematopota (Tabanidae), 18 (14)
Harpella (trichomycete fungi), 1 (4)
Harpellales (trichomycete fungi), 1 (4), 2 (16)
Homoptera, 13 (15)
Hydrachnidia (water-mites), 3 (15)
Hydromermis doloresi (Mermithidae), 19(17/26)
Hydrostachys polymorpha (Hydrostachaceae), 4 (16)
Hygrobatas fluviatilis (water-mite), 3 (15)
Iridovirus (virus), 3 (6-7)
Isomermis spp. (Mermithidae), 19(17/26)
Lebertia porosa (water-mite), 3 (15)
Legeriomycetaceae (trichomycete fungi), 1 (4)
Leucocytozoon (blood protozoan), 13 (7)
 L. sakharoffi, 5 (16)
 L. tawaki, 12 (20)
Libellula (dragonfly)
 L. aerea, 8 (16)
 L. grandis, 8 (16)
Limnomermis spp. (Mermithidae), 19(17-18)
Limnophora riparia (muscid fly), 1 (5)
Mentha spicata (spearmint), 12 (21)
Mermithidae, species found in *Simulium*, 19(13-26)
Mesomermis spp. (Mermithidae), 19(18-23/26)
Micrococcus luteus (bacterium), 4 (13)
Myoporum laetum (repellent tree, Myoporaceae), 12 (21)
Octomyomermis spp. (Mermithidae), 19(23)
Onchocerca (filarial nematode), 2 (8-9/14/15), 4 (6/7/14), 6 (12), 8 (8), 10 (5-6/7), 14 (4), 16 (1-2), 18 (11-13)
 O. armillata, 2 (4)
 O. dukei, 2 (15), 4 (14)
 O. gibsoni, 2 (4)
 O. gutturosa, 2 (4)
 O. lienalis, 1 (3/6), 2 (4/9/14), 3 (3)
 O. ochengi, 2 (3-4/15), 4 (14), 6 (11), 8 (8), 10 (7)
 O. ramachandrini, 4 (14)
 O. volvulus, 1 (3/7), 2 (3-4/9/12/15), 3 (3/4/7-8/10-11), 4 (4/6-7/14), 6 (11), 8 (3-5), 9 (11), 10 (3-4/5-6/10-12/12-13/14-15/18), 11 (7-12), 12 (3/9/10/14), 15 (6-8/8-10/11-14), 18 (11-13/13-15/17), 19(4/6-8)
Phalaris arundinacea (reed-grass), 5 (16)
Phlebotomus papatasi (sand-fly, Psychodidae), 11 (3)
Podostemaceae (aquatic plants), 9 (11)
Potamonautes aloysiisabaudiae (river-crab), 3 (12), 8 (5)
Ranunculus (water-buttercup), 3 (15)
Pyrrhophyta (algae), 12 (11)
Rheotanytarsus (chironomid midge), 3 (28)
Rhodophyta (algae), 12 (11-12)
Rotifera, 12 (12)
Sparganium (bur-reeds)
 S. emersum, 5 (15)
 S. erectum, 5 (15)
Sperchon (water-mites), 3 (3-4)
Stomoxyninae, 7 (9)
Styloconops albiventris (ceratopogonid midge), 13 (10)
Trichomycetes (fungi), 1 (4), 2 (16), 19(1)
Turdus merula (blackbird), 1 (8)

Contributor Index

- Adler, P. H. (Peter), 11 (4-7/15-16), 12 (12-13), 17 (5-6/10-16/16-20), 18 (22-23)
Alencar, Y. B. (-), 12 (11-12)
Arzube, M. (Manuel), 2 (11-12), 3 (2)
Baez, M. (Marcos), 8 (13)
Barrault, D. V. (Denise), 8 (8)
Basañez, M.-G. (Maria-Gloria), 4 (6-7), 10 (5-6/10-12/12-14), 12 (9-10/10-11/14-15), 15 (6-8/8-10/11-14), 18 (11-13/13-15/17-19/19-21)
Bass, J. A. B. (Jonathon), 1 (2), 5 (7-19), 10 (14-16), 14

- (3-4)
- Baxter A. J. (Andrea), 2 (14)
- Belqat, B. (Boutaina), 15 (15-18), 17 (7-10/10-16)
- Bianco, A. E. (Ted), 2 (8-9)
- Bickerton, M. A. (Melanie), 3 (17-22)
- Botto, C. (Carlos), 10 (10-12), 12 (9-10/14-15), 15 (8-10/11-14)
- Bougeón, W. (-), 15 (11-14)
- Brackenboro, L. (-), 18 (17-19)
- Bueno, L. (-), 12 (10-11)
- Burger, J. F. (John), 17 (16-20)
- Carr, M. (Manfred), 19(4-6)
- Charalambous, M. (Magda), 2 (11-12), 3 (2), 6 (13-15)
- Chavasse, D. (Desmond), 10 (10-12)
- Cheke, R. A. (Bob), 2 (3/9), 3 (8), 12 (4)
- Collins, R. C. (Richard), 10 (12-14), 18 (17-19)
- Coronel, P. (Pablo), 15 (8-10/11-14), 18 (19-21)
- Cortez, J. (José), 12 (9-10/10-11), 15 (8-10/11-14), 18 (19-21)
- Cory, J. (Jenny), 2 (17-18), 3 (6-7)
- Coscarón, S. (Sixto), 12 (5/6)
- Coscarón-Arias, C. (Cecilia), 12 (6)
- Coupland, J. (James), 1 (2-3), 5 (5-6)
- Craig, D. A. (Doug), 5 (3-5), 13 (17)
- Crosskey, M.E. (Peggy) 20 (i-xii)
- Crosskey, R. W. (Roger), 1 (7-10), 2 (8), 4 (21-22), 5 (7-19), 6 (5-7/18/19-20), 7 (6), 8 (9-10/11-13/14-17), 10 (17-19), 11 (4-7), 12 (15-19), 13 (15), 15 (3-5/18-19), 16 (8-10), 18 (22-23), 19 (13-26), 20 (2-5/6-7/i-xii)
- Curtis, M. (Margaret), 2 (2)
- Dakki, M. (Mohamed), 17 (7-10/10-16)
- Darwich, S. M. (-), 9 (7-14)
- Davies, D. H. (Dai), 3 (8-9)
- Davies, J. B. (John), 2 (4-5), 4 (4-6/22-23), 6 (11-12), 10 (1-2/14-15), 11 (1/7-12), 12 (3), 13 (16), 14 (5-6/17), 15 (5), 16 (10-11/11), 17 (1-5), 18 (1-2/21-22), 19(9)
- Delves, C. J. (Chris), 2 (4)
- de Moor, F. C. (Ferdy), 14 (10-14)
- Denley, C. E. (-), 2 (12-13)
- Doyle, C. (Cathy), 2 (17-18)
- Errami, M. (-), 17 (7-10)
- Escalona, M. (-), 15 (8-10/11-14)
- Fairhurst, C. (Colin), 2 (2)
- Falk, S. (Steven), 18 (4-6)
- Frontado, H. (Hortensia), 12 (9-10/10-11), 15 (8-10/11/14), 18 (19-21)
- Frontado, M. (Miguel), 10 (10-12)
- Frost, S. (Stan), 5 (2)
- Garcia, M. (Mayila), 10 (10-12), 12 (14-15)
- Garms, R. (Rolf), 3 (4/11-12), 8 (3-5), 10 (7-10)
- Gelhaus, A. (-), 10 (7-10)
- Ghetti, P. F. (-), 13 (18-19)
- Gowtage-Sequeira, S. (Sony), 18 (13-15)
- Greenwood, M. T. (Malcolm), 3 (17-22)
- Grillet, M.-E. (Maria-Eugenia), 10 (10-12), 12 (9-10/10-12/14-15), 15 (8-10/11-14), 18 (19-21)
- Gryaznov, A. I. (Andrew), 4 (9-12)
- Hagen, H. E. (Hans), 2 (15), 8 (8), 10 (7), 14 (4-5), 16 (1-2)
- Halgos, J. (Josef), 12 (7)
- Ham, P. J. (Peter), 1 (3-4/6-7), 2 (14), 3 (3-4), 4 (13), 8 (8), 10 (7)
- Hamada, N. (Neusa), 12 (11-12/12-13)
- Hennings, I. (Ina), 18 (16-17)
- Hernández Triana, L.M. (Luis), 19(3-4)
- Higazi, T. (Tarig), 18 (13-15)
- Hill, N. (Nigel), 3 (14/23-27)
- Hood, J. (Jenni), 3 (3-4)
- Hultmark, D. (-), 8 (8)
- Hyder, A. H. (Alison), 13 (6-9)
- Ibañez-Bernal, S. (Sergio), 12 (6)
- Jedlička, L. (Ladislav), 12 (7-8)
- Jensen, F. (Frank), 13 (14)
- Katamanywa, J. (James), 8 (3-5)
- Kelly, D. (David), 18 (11-13)
- Kennedy, S. (Sharon), 19(6-8)
- Kipp, W. (Walter), 3 (4/11-12)
- Klager, S. L. (Sabine), 8 (8), 10 (7), 16 (1-2)
- Kouyate, B. (-), 2 (4)
- Krüger, A. (Andreas), 10 (7-10), 12 (3), 18 (16-17)
- Kuvangkadilok, C. (Chaliow), 14 (7-9)
- Ladle, M. (Mike), 1 (5), 2 (17), 8 (7-8)
- Lechthaler, W. (Wolfgang), 19(4-6)
- Losso, C. (-), 13 (18-19)
- Lowry, C. A. (Carolyn), 2 (11), 3 (2), 8 (10-11)
- Luján, R. (Ricardo), 4 (4-6), 10 (14-15), 11 (7-12), 14 (5-6)
- Luna Dias, A. P. A. (Paulino), 6 (13-15), 12 (3)
- Luz, S. (Sergio), 8 (10-11)
- Mafuyai, H. B. (Hayward), 2 (15-16), 3 (8-9)
- Maia-Herzog, M. (Marilsa), 6 (13-15), 8 (10-11), 12 (3)
- Malmqvist, B. (Bjorn), 13 (4-6)
- McCall, P. J. (Philip), 2 (3/4), 4 (8), 6 (7-9), 11 (3-4)
- McCrae, A. W. R. (Angus), 3 (14/23-27), 18 (16/17)
- McCreadie, J. W. (John), 11 (15-16), 12 (12-13)
- McKerrow, J. H. (-), 8 (8), 10 (7)
- Mendizabál Solé de Cabrera, R. (-), 14 (5-6)
- Merritt, R. W. (Rich), 1 (5), 17 (16-20)
- Millest, A. L. (Alice), 2 (19)
- Miranda-Esquivel, D. R. (Rafael), 12 (5)
- Morales Hojas, R. (Ramiro), 18 (15-16)
- Molloy, D. P. (Dan), 17 (16-20)

- Molyneux, D. H. (David), 3 (8-9)
Moss, B. (Brian), 4 (19-20)
Moss, S. T. (Steve), 1 (4), 2 (16)
Moulton, J. K. (Kevin), 4 (20-21)
Mwango, J. (John), 3 (15-16)
O'Keeffe, J. H. (-), 1 (10-11)
Osei, M. (Mike), 12 (4)
Oskam, L. (Linda), 10 (14-15)
Palmer, R. W. (Rob), 1 (10-11), 4 (21), 14 (10-13)
Paniagua-Alvarez, A. J. (-), 14 (5-6)
Partridge, D. (David), 6 (10-11)
Pedron, M. (-), 13 (18-19)
Penn, M. (-), 19(3-4)
Petts, G. E. (Geoffrey), 6 (4-5)
Poinar, G.O. (George), 19(13-26)
Porter, C. H. (Charles), 18 (17-19)
Post, R. J. (Rory), 1 (6), 2 (4/19), 3 (8-9/13), 12 (2-5),
18 (15-16)
Py-Daniel, V. (Victor), 9 (7-14)
Raastad, J. E. (Jan), 12 (6)
Raybould, J. N. (John), 2 (5-6)
Razali, K. (Karina), 18 (11-13)
Ready, P. H. (Paul), 3 (2)
Renshaw, M. (Melanie), 3 (3)
Renz, A. (Alfons), 4 (14-15)
Reyz-Villanueva, F. (Filiberto), 10 (12-14)
Roberts, M. J. (Mike), 4 (16-17)
Rodriguez, M. H. (Mario), 10 (12-14)
Rodriguez-Pérez, M. A. (Mario), 10 (12-14)
Rojas, S. (Sergio), 10 (10-12)
Rubaale, T. (Tom), 8 (3-5), 10 (7-10)
Santos Grácio, A. J. dos (Antonio), 3 (13-14)
Service, M. W. (Mike), 1 (11)
Shelley, A. J. (Tony), 2 (11-12), 3 (2/10-11), 4 (21-22),
6 10/13-15/20), 8 (10-11), 10 (3-4), 12 (3), 19(3-
4), 20(1)
Smail, A. J. (-), 1 (6-7)
Smithies, B. (Bianca), 4 (13)
Soares, C. (-), 12 (11-12)
Stoops, C.A. (Craig), 19(11-12)
Surtees, D. P. (David), 1 (6)
Tagliapietra, D. (-), 13 (18-19)
Takaoka, H. (Hiroyuki), 14 (7-9)
Tambala, P. J. (-), 12 (3)
Tanasychuk, V. N. (-), 9 (2-6)
Taylor, M. (-), 2 (16)
Thomas, A. (Alain), 20(2-5)
Thomson, M. (Madeline), 12 (3)
Trees, A. J. (Sandy), 2 (3-4)
Tryapitsin, V. A. (-), 9 (2-6)
Unnasch, T. R. (Thomas), 18 (13-15)
Vajime, C. G. (Charles), 12 (3)
Van den Hoek, T. H. (Tjeerd-Harm), 18 (7)
Vasquez, N. (-), 15 (11-14)
Vieira, J. C. (Juan Carlos), 18 (17-19)
Villamizar, N. J. (Nestor), 10 (10-12), 12 (9-10/10-11/14-
15), 15 (8-10/11-14), 18 (19-21)
Vivas-Martinez, S. (Sarai), 10 (10-12), 12 (9-10/10-
11/14-15), 15 (11-14), 18 (19-21)
Volpi Ghirardini, A. (Annamaria), 13 (18-19)
Wain, H. M. (-), 2 (12-13)
Wallace, J. R. (John), 13 (6-9)
Walsh, J. F. (Frank), 3 (5-6)
Welton, S. (Stewart), 8 (7-8)
Werner, D. (Doreen), 5 (7-19), 12 (13)
Whitworth, J. (Jimmy), 3 (7-8)
Wiggers, R. (Rink), 18 (7-10)
Wiles, R. (Roy), 3 (15-16)
Williams, T. (Trevor), 2 (17-18), 3 (6-7/15-16)
Williams, T. R. (Trefor), 1 (1), 2 (12-13), 4 (17-18)
Wilson, M. (Mike), 3 (13), 12 (4)
Wood, P. J. (Paul), 6 (16-17)
Wotton, R. S. (Roger), 1 (5), 2 (16), 3 (28), 4 (18-19),
8 (5-7)
Yocha, J. (John), 3 (4/11-12), 8 (3-5), 10 (7-10)